

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

CORRECTED VERSION

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
29 March 2001 (29.03.2001)

PCT

(10) International Publication Number
WO 01/21640 A1

(51) International Patent Classification⁷: C07H 21/04,
C12N 5/00, 5/02, 9/00, 15/00, 15/09, 15/63, 15/70, 15/74,
15/85, 15/87

(21) International Application Number: PCT/US00/26124

(22) International Filing Date:
22 September 2000 (22.09.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/155,738 23 September 1999 (23.09.1999) US

(71) Applicants: THE TRUSTEES OF THE UNIVERSITY
OF PENNSYLVANIA [US/US]; Center for Technology
Transfer, 3700 Market Street, Suite 300, Philadelphia, PA
19107 (US); THE ROYAL VETERINARY COLLEGE
[GB/GB]; University of London, Royal College Street,
London NW1 0TU (GB).

(72) Inventors: EMERSON, Charles, P.; 118 Colwyn Lane,
Bala Cynwyd, PA 19004 (US). DHOOT, Gurtej, Kaur;
51 Tavistock Terrace, London N19 4BZ (GB).

(74) Agents: LICATA, Jane, Massey et al.; Law Offices of
Jane Massey Licata, 66 E. Main Street, Marlton, NJ 08053
(US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG,
CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:
— With international search report.

(48) Date of publication of this corrected version:
5 July 2001

(15) Information about Correction:
see PCT Gazette No. 27/2001 of 5 July 2001, Section II

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: IDENTIFICATION AND FUNCTIONAL CHARACTERIZATION OF A NEW SUBFAMILY OF SULFATASES

(57) Abstract: Nucleic acid sequences encoding members of a new subfamily of sulfatases and polypeptides encoded thereby are provided. Compositions and methods of modulating sulfatases of this new subfamily to modify growth properties and differentiation of cells, as well as the ability of cells to prevent viral entry and to prevent recruitment of lymphocytes to a site of inflammation are also provided. The compositions and methods are useful in treating cancer and inhibiting metastases, promoting differentiation of stem cells into muscle, neural and renal cells and inhibiting viral infection and inflammation. In addition, functional embryonic techniques for identification and characterization of developmental regulatory genes such as these sulfatases are provided.

WO 01/21640 A1

- 1 -

IDENTIFICATION AND FUNCTIONAL CHARACTERIZATION OF A NEW SUBFAMILY OF SULFATASES

Introduction

5 This invention was supported in part by funds from the U.S. government (NIH Grant No. HD07796-27) and the U.S. government may therefore have certain rights in the invention.

Background of the Invention

10 Glucosamine-6-sulfatase (G6S) is a lysosomal enzyme found in all cells. This exo-hydrolase is involved in the catabolism of heparin, heparin sulphate and keratin sulphate. Deficiencies in G6S result in the accumulation of undegraded substrate and the lysosomal storage disorder mucopolysaccharidosis type IIID.

15 Regional mapping by *in situ* hybridization of a ³H-labeled human G6S cDNA probe to human metaphase chromosomes indicated that the G6S gene is localized to chromosome 12 at q14. Localization to the G6S gene to chromosome 12 was confirmed via Southern blot hybridization analysis of DNA from
20 human x mouse hybrid cell lines (Robertson et al. Hum. Genet. 1988 79(2):175-8).

 Human liver contains two major active forms of glucosamine-6-sulfatase, form A which has a single 78 kDa polypeptide and form B which has two polypeptides of 48 kDa
25 and 32 kDa. A 1761 base pair cDNA clone encoding the complete 48 kDa polypeptide of form B has been isolated (Robertson et al. Biochem. Biophys. Res. Commun. 1988 157(1):218-24). This sequence reveals homology with the microsomal enzyme steroid sulfatase. The amino acid sequence was also deduced from this
30 human G6S clone (Robertson et al. Biochem. J. 1992 288(2):539-

- 2 -

44). The predicted sequence has 552 amino acids with a leader peptide of 36 amino acids and contains 13 potential N-glycosylation sites, 10 of which are believed to be used. The derived amino acid sequence shows strong sequence similarity
5 to other sulfatases such as the family of arylsulfatases.

Summary of the Invention

The present invention relates to the identification and/or cloning of new, evolutionarily conserved members of a subfamily of sulfatases, referred to herein as Sulf-1 and
10 Sulf-2, from quail embryos (QSulf-1), *C. elegans* (CeSulf-1), *Drosophila melanogaster* (DmSulf), mice (MSulf-1 and MSulf-2) and humans (HSulf-1 and HSulf-2).

The present invention also relates to Functional Embryonic Technologies (FETs) which serve as convenient and
15 efficient embryo assays for the investigation and determination of the developmental functions of regulatory genes. Using FETs, members of this new family of sulfatases are demonstrated herein to be essential components of Sonic hedgehog (Shh) inductive signaling which is critical for the
20 specification of neural and mesodermal lineages, as well as other lineages in the vertebrate embryo.

Thus, the present invention also relates to compositions and methods of using these compositions to modulate the expression and/or activity of proteins which are members of
25 this subfamily of sulfatases to modify growth and differentiation of cells, as well as viral infection and inflammation. These methods are believed to be useful in the treatment of cancer, including metastases; in inducing differentiation of cells into myoblasts, neural cells and
30 renal cells for use in the treatment of skeletomuscular degenerative diseases, neurodegenerative diseases and renal degenerative diseases; in inhibiting infection via viruses which utilize sulfated heparin proteoglycans for entry into

- 3 -

cells; and in controlling the recruitment of lymphocytes by cells to a site of inflammation.

Brief Description of the Drawings

Figure 1 provides a diagram of the four stages and 5 assays used in each stage of functional embryonics technologies (FETs).

Detailed Description of the Invention

Functional Embryonics Technologies (FETs) is an efficient and cost-effective functional genomics strategy to 10 investigate the developmental functions of novel mammalian genes in processes of stem cell specification, tissue differentiation, and organ formation. The FETs strategy combines differential molecular cloning techniques and bioinformatics analysis of genome databases with the use of 15 simple, cost effective, and efficient bioassays in model embryos to identify genes with unique embryological, cellular and biochemical functions. It is believed that the majority of genes with important developmental regulatory and structural functions have not yet been discovered. There is 20 ample evidence that many of the regulatory genes identified with lineage-specific expression in embryos are also regulators of stem cell production and differentiation, i.e., genes involved in building the differentiated tissues and organs in the embryo during development.

25 Many of the known genes that regulate embryonic development are conserved in animals, including *C. elegans*, *Drosophila*, *Xenopus*, chick, mouse, and human. Simple and efficient embryo bioassays are now available to identify the required functions of developmental regulatory genes in 30 processes of stem cell specification, tissue differentiation and organogenesis, based on their dominant regulatory activities when misexpressed in embryos and in embryonic

- 4 -

cells. In FETs, these methods are sequentially combined to identify novel regulatory genes having applications in the development of therapeutics for both stem cell production and tissue regeneration.

5 The starting point for FETs is the selection of a novel candidate regulatory or structural gene or set of genes for functional analysis. In one embodiment, candidate genes are identified through bioinformatic searches of the human or mouse genome and/or EST databases based on their significant
10 gene family relationships, their evolutionary conservation with *C. elegans* and *Drosophila* genes, or their protein domain motifs. In another embodiment, directed specifically towards identification of genes with developmental functions, molecular technologies are used to define tissue-specific or
15 developmentally-related sets of expressed genes. Examples of such molecular technologies include, but are not limited to, DNA microchip arrays, *in situ* hybridization, and/or subtractive cDNA cloning techniques, in combination with genome data base analysis. Once candidate genes of interest
20 have been identified, their developmental functional activities are accessed through a series of rapid and cost-effective FETs assays, as presented in Figure 1.

In Stage I, candidate genes with lineage-specific expression are identified by high volume *in situ* hybridization
25 and microchip array assays. Stage II and III assays are directed towards identification of genes with activities that control early developmental processes in the embryo: cell lineage specification, proliferation, apoptosis, and the initiation of cell differentiation. Stage II RNAi gene
30 knockout assays define the essential requirements of mammalian homologues of *C. elegans* and/or *Drosophila* genes in developing embryos. Antisense knockout assays can also be performed in chick embryos in Stage II to define the essential requirement of avian homologues. Stage III mRNA misexpression assays
35 define the regulatory capacities of specific genes to

- 5 -

dominantly direct developmental processes in vertebrate embryos. These Stage II and III assays also provide an opportunity to investigate the functional interactions of candidate genes with known genes in specific developmental pathways including Hedgehog, Wnt, BMP, FGF, and EGF pathways. Stage IV assays utilize DNA transfection in cell cultures to misexpress cDNAs of candidate genes in selected stem cell lines and transgenic mice, and loss-of-function gene targeting analysis to investigate cell biological functions of candidate genes in mammalian embryos. Stage II and III assays provide simple and efficient screens to identify candidate genes for analysis in mouse embryos by gene targeting and transgenesis, as well as for detailed functional studies in model embryos.

As shown in Figure 1, in Stage II loss of function is determined via Embryo RNAi Gene Knockout Assays and/or Chick Embryo Antisense Knockout Assays. The *C. elegans* genome sequence is complete, and the *Drosophila* genome sequence will be completed in the near future, making possible the identification of homologues of mammalian genes in *C. elegans* and *Drosophila*. Homologues of mouse genes can be functionally disrupted in embryos by RNAi technology, which involves microinjection of double-stranded RNA of transcribed regions of the candidate homologue genes into gonads or early embryos (Kennerdell, J.R. and Carthew, R.W. Cell 1998 95(7):1017-26; Misquitta, L. and Paterson, B.M. Proc. Natl Acad. Sci. USA 1999 96(4):1451-6). Double stranded RNAs are routinely produced by PCR amplification of genomic DNA, using primers derived from sequence databases, and cloned into expression vectors for RNA production. Double stranded RNAs of partially transcribed sequences are sufficient for RNAi gene knockout, and multiple genes can be inactivated simultaneously to characterize genes with redundant functions. RNAi causes germline disruptions of gene function in *C. elegans*. Analysis to define mutant phenotypes is effectively performed on living or fixed embryos using DIC and fluorescence microscopy because

- 6 -

of the limited cell numbers in these embryos. GFP reporter genes are available to monitor cell lineage specification, tissue differentiation and organ formation. Phenotypic assays can be tailored to monitor specific developmental pathways using specific reporter and genetic backgrounds. RNAi assays can be accomplished rapidly in a time frame of days and weeks and can be expected to identify genes with essential regulatory and structural functions for more detailed genetic and molecular studies in these organisms as well as for Stage II analysis. Similarly, chick embryo antisense knockout assays are fast assays which, as shown herein, are useful in identifying genes with essential and structural functions in avian embryos.

In Stage III, gain of function is determined via Embryo Misexpression Assays in *Xenopus*, chick neural tube and zebrafish. The *Xenopus* egg is ideally suited for misexpression and overexpression of candidate genes, by microinjection of mRNA or cDNA expression plasmids into blastomeres of newly fertilized eggs (Thomsen, G.H. and Melton, D.A. Cell 1993 74(3):433-41.). Full length cDNAs are recovered by PCR amplification of mouse embryo cDNA libraries using primers to sequences derived from genomic and EST data bases. *Xenopus* microinjection assays are performed on candidate mouse and human RNAs whose homologues have functional activities in Stage II assays or on candidates that do not have recognized *C. elegans* and *Drosophila* homologues. *Xenopus* misexpression assays are performed on pools of multiple RNAs candidates, allowing for high through-put assays on groups of mRNAs. Histological, marker, and reporter gene expression phenotypes are used to monitor regulatory activities in well-established assays. Dominant mutant receptors, signaling components and transcription factors are available, making possible co-expression studies to investigate gene interactions with known developmental pathways. *Xenopus* misexpression assays can be accomplished in

- 7 -

a time frame of days and identify regulatory genes that control early developmental cell lineage specification and differentiation.

Chick Neural Tube Electroporation is also performed.

5 The chick embryo is utilized to investigate the functions of candidate EEA cDNAs by neural tube electroporation (Sakamoto et al. FEBS Letters 1998 426(3):337-41). Electroporation is a technically simple and highly efficient method for transfecting primitive neural tube cells with cDNA expression
10 vectors to misexpress candidate mRNAs. Histological and reporter gene assays are used to determine the effects of misexpression on signal transduction and cell differentiation processes in the neural tube. Chick assays can be accomplished in a time frame of days and identify regulatory
15 and structural genes that control processes of developmental signaling and patterning, axon guidance, and neuronal cell differentiation.

Zebrafish Microinjections are also performed. Mutations that disrupt a large number of specific developmental
20 processes have been identified in Zebrafish, making possible functional interaction studies with candidate genes as well as misexpression assays in wild type embryos (Westerfield, 1995 *The Zebrafish Book*. University of Oregon Press). These assays involve mRNA injection into embryonic blastomeres and
25 histological and reporter gene assays. The Zebrafish embryo develops rapidly, and the embryo is transparent and small, so it is possible to evaluate cellular processes at high resolution to identify RNAs with regulatory and structural functions. RNA injections are technically more demanding and
30 less efficient in the Zebrafish than in *Xenopus*, but can be accomplished in a time frame of days.

In Stage IV, genes with in Stage II-III assays are selected for mammalian expression assays via mouse gene targeting and transgenic studies. Gene targeting is
35 technically demanding, expensive and requires a substantial

- 8 -

commitment of time (one year), but is essential to determine the loss-of-function embryonic phenotypes, which will be evident if the gene of interest is not a redundant gene or is not active in a parallel pathway (Hogan et al. *Manipulating the Mouse Embryo: A Laboratory Manual*. 1994 New York, Cold Spring Harbor Laboratory Press, 2nd Edition). Once the mouse genome is sequenced, however, the cloning procedures required for gene targeting will be simplified. RNAi technology or an equivalent also may be available to provide more highly efficient procedures for producing mouse mutants. Candidate cDNAs under the control of UAS promoters and these promoters themselves will be misexpressed in different tissues of developing embryos using lines of mice engineered with tissue-specific transgenes to produce GAL4, a UAS transcriptional activating protein. These studies identify dominant regulatory activities of candidate genes. An increasing number of GAL4 lines of mice are being generated, making possible conditional misexpression of candidate cDNAs in the mouse embryo. Transient transgenic assays are preferable and can be accomplished in a matter of several weeks. Production of germline transgenics is technically demanding and costly; assays involve production of transgenic mice lines, which requires 4-6 months.

FETS were used to functionally characterize members of the new Sulf-1 and Sulf-2 sulfatase gene subfamily.

QSulf-1 was cloned from newly formed somites of quail embryos by differential display technology as described by Liang, P. and Pardee, A.B. (*Science* 1992 257:967-971). It was found that somite formation in vertebrate embryos is coordinated with the activation of master regulatory gene including the transcription factor genes *Pax1* and *MyoD/Myf5*, which are essential for the determination of sclerotome cartilage and myotomal muscle lineages, respectively. Differential display experiments were therefore directed to identify additional genes that are activated during somite

- 9 -

formation as candidates for other genes in the sclerotome and myotome lineage determination pathways. The screen involved assaying for cDNA copies of mRNA transcripts that are present in the three newest born somites at the posterior edge of
5 somite formation in stage 12 embryos, but are absent in the presegmented mesoderm immediately posterior to these somites. As somite pairs are born in quail embryos every 90 minutes, the window of gene expression being investigated in these studies is approximately 4.5 hours, thus allowing recovery of
10 "immediate early" somite response genes. A number of somite-specific, differentially displayed transcripts were identified in these studies and clones were sequenced. However, because the differential display strategy recovers cDNAs that encode only small sequence intervals restricted largely to the 3'
15 untranslated regions, these sequences are generally not informative regarding encoded proteins.

Thus, to identify clones of interest for further analysis, differential display clones were used as *in situ* hybridization probes and RT-PCR primers to assay expression
20 in somites and presegmental mesoderm of stage 12 somites. Clones that showed expression in somites, but not presegmental mesoderm met the criteria for the screen. Clones were chosen for further analysis based on confirmation of their patterned expression in the somite. Specifically, clones of transcripts
25 were identified in the ventral somite, which gives rise to the sclerotome lineages, and/or the dorsal medial somite, which gives rise to the epaxial myotomal lineages.

The QSulf-1 cDNA hybridized to transcripts that were activated during somite formation, initially in the ventral,
30 sclerotomal lineage and then in the more dorsal myotomal lineage. Expression also occurred in the notochord, the neural tube floor plate, in interneurons and other sites. The full length cDNA of QSulf-1 and the translated protein sequence of QSulf-1 are depicted in SEQ ID NO:1 and SEQ ID
35 NO:2, respectively.

- 10 -

Based upon these experiments, the full length cDNA clone of QSulf-1 was recovered by screening a stage 12 quail cDNA library with the QSulf-1 probe. These full length clones have extensive 5' and 3' UTR sequences and the library was directionally cloned in a vector that includes a CMV promoter, to allow immediate transfection studies.

Sequence and computer database analyses of the quail, full-length Sulf-1 cDNA revealed the open reading frame to have homology with sulfatases in other species. For example, the QSulf-1 sequence was closely related to the cDNA of human glucosamine-6-sulfatase (Robertson et al. Biochem. J. 1992 288:539-544). A related protein, referred to herein as CeSulf-1, was also identified by Gene Finder in the *C. elegans* database. The CeSulf-1 protein translated from cosmid CELKO9C4 is depicted herein as SEQ ID NO:3. In addition, two *Drosophila* ESTs AA391898 (SEQ ID NO:4) and AA438825 (SEQ ID NO:5) have been identified as clones for a *Drosophila* sulfatase (DmSulf) based upon their close relationship to CeSulf-1 and QSulf-1. These ESTs have been demonstrated to be expressed in early mesodermal cells that give rise to muscles in *Drosophila* similar to QSulf-1 in quail. A mouse EST A1592342 (SEQ ID NO:6) has also been identified as a clone for a murine sulfatase (MSulf-1) along with a human cDNA AB029000 (SEQ ID NO:15; Kikuno et al. DNA Res. 1999 6:197-205) and human ESTs and proteins translated from human ESTs AI344026 (SEQ ID NO:17 and SEQ ID NO:18; Adams et al. Nature 1995 377(6547): 3-174), and AA361498 (SEQ ID NO:19 and SEQ ID NO:20; Adams et al. Nature 1995 377(6547): 3-174) for human sulfatase (HSulf-1) based upon their close relationship to CeSulf-1 and QSulf-1. The protein translated from MEST A1592342 is depicted in SEQ ID NO:7. The protein translated from HSulf-1 AB029000 is depicted in SEQ ID NO:16.

A second member of this sulfatase subfamily, referred to herein as Sulf-2, was also identified in mouse (MSulf-2) and human (HSulf-2) based upon its close, but distinct,

- 11 -

sequence relationship to QSulf-1, MSulf-1 and HSulf-1. MSulf-2 MEST AA015479 is depicted in SEQ ID NO:8; MSulf-2 MEST AA138508 is depicted in SEQ ID NO:9; MSulf-2 MEST AA461855 is depicted in SEQ ID NO:10; MSulf-2 MEST AA727360 is depicted in SEQ ID NO:11; and MSulf-2 MEST W97878 is depicted in SEQ ID NO:12. The contig of these MSulf-2 ESTs is depicted in SEQ ID NO:13 and the translated protein of the contig of Msulf-2 ESTs is depicted in SEQ ID NO:14. HSulf-2 HEST AA323130 and the translated protein of this HSulf-2 EST are depicted in SEQ ID NO: 21 and 22, respectively. Further MSulf-2 is expressed in somites and neural cells as is MSulf-1 and QSulf-1. However, expression studies using *in situ* hybridization methods have shown that mouse MSulf-1 and MSulf-2 are expressed differentially in tissues of early mouse embryos. MSulf-1 is expressed in dermomyotome and dorsal neural tube lineages, whereas MSulf-2 is expressed in more ventral sclerotome and ventral neural tube lineages. Accordingly, both MSulf-1 and MSulf-2 are believed to have functions in the differentiation of different tissues and organs in the embryo. The active site of the sulfatase enzyme is located in the N-terminal 200 amino acids. Conservation of amino acid residues in this enzymatic active site domain in Sulf-1 and Sulf-2 proteins from all species studied define this gene subfamily as functional sulfatases. The Sulf-1 and Sulf-2 proteins are clearly different from human G6S and the arylsulfatases described previously in the art.

In situ hybridization analysis revealed that the expression of QSulf-1 is temporally regulated and spatially patterned in the quail embryos. The striking patterns of expression observed indicate QSulf-1 to have lineage-specific functions in the quail embryo. Specifically, QSulf-1 is activated in somites following somite formation, in a progression that parallels *MyoD* activation. In early embryos prior to 10 somite pairs, somites do not express detectable QSulf-1. Expression becomes active and coordinated with

- 12 -

somite formation in embryos with 10 to 15 somite pairs. Initially, expression is detected in the ventral medial somite, where *Pax1* is activated and the sclerotome lineage is derived. Expression becomes dorsalized during somite
5 maturation, localizing expression to the dorsal medial region of *MyoD/Myf5* activation and formation of the myotome lineage. Expression does not extend into the dermyotome, but rather is restricted to cells immediately ventral. These cells are believed to comprise the developing myotomal muscle.
10 Expression in the notochord is earlier than in somites and follows an anterior to posterior progression in the region of somite formation. Expression does not occur in the notochord adjacent to presegmental mesoderm. Expression is activated in the floorplate in coordination with floor plate
15 differentiation, which occurs anterior to the zone of somite formation. Expression is observed somewhat later in the interneuron region of the neural tube. *QSulf-1* is expressed specifically in the mesonephros and nephros, but not in the duct. Expression in the brain and limb bud also is highly
20 localized and patterned.

Using surgical manipulations as described by Pownall et al. (Development 1996 122:1475-1488), it was found that *QSulf-1* is an *Shh*-dependent somite gene. Specifically, it was found that the notochord is required for somite expression.
25 Further, the lateral mesoderm is required to maintain lateral expression. The notochord requirement is believed to be due to Sonic hedgehog signaling since antisense inhibition of *Shh* was found to block the activation of *QSulf-1* as it does the activation of *MyoD* and *Myf5* in the epaxial myotomal lineage
30 and *Pax1* in the sclerotome lineage (Borycki et al. Development 1998 125:777-790). Antisense *Shh* also diminishes *QSulf-1* expression in the floorplate and notochord as well as the mesonephros. Lateral plate mesoderm is known to mediate repression of *MyoD* and *Myf5* through *BMP4*. This is also

- 13 -

believed to be the repressive signal that maintains QSulf-1 expression in the medial somite.

Phosphothiolated antisense oligonucleotides were developed to inhibit expression of QSulf-1. When embryos were
5 treated with these specific antisense oligonucleotides, expression of *MyoD* was specifically blocked in somites that are in the process of activating *MyoD* as well as in somites that are maintaining expression. Since Shh is required to activate and maintain epaxial myotome expression of *MyoD* and
10 *Myf5* in quail and mouse, it is believed that QSulf-1 has an essential function for *MyoD/Myf5* activation downstream of the Shh signal. Thus, the role of QSulf-1 in Shh signaling is restricted to its sites of expression within the larger Shh response domain.

15 The structure, regulation and functional roles of this new subfamily of sulfatases determined through these experiments indicate members of this family such as Sulf-1 and Sulf-2 to act as either direct regulators of Shh diffusion from their notochord source of synthesis or as mediators of
20 secondary signals such as FGF and Wnts with relay functions in gene regulation. Because of the close homology to the human *G6S* gene, it is believed that the function of Sulf-1 and Sulf-2 is related to a similar sulfatase activity to *G6S* which cleaves linked sulfate groups at the 6 position of the non-
25 reducing glucosamine residues of heparin sulfate and keratin sulfate. Since QSulf-1 has been found to be regulated by Shh and is essential for its functions to mediate *MyoD* and *Myf5* activation, this gene is also believed to function in the Shh pathway, directly or in a relay, and not in a parallel
30 pathway. Further, since its expression is highly patterned in a subset of domains that are Shh responsive in the neural tube and somites, as well as the brain and limb, it is believed to have lineage-restricted functions related to the localized expression. The hydrophobic domain of its N-
35 terminus is indicative of it functioning on the cell surface

- 14 -

or being secreted to promote the localized desulfanation of heparin sulfanate proteoglycans in the ECM in the region of ECM of cells expressing the somite neural tube, brain, limb and mesonephros.

5 To investigate the secretion properties of QSulf-1, an expression vector encoding QSulf-1 with a C-terminal myc tag sequence was transfected into mammalian cells in culture and electroporated into neural tube of the developing chick embryo. Expressed QSulf-1 can then be localized by Western
10 blotting methods as well as immunostaining using myc antibodies. It was found that QSulf-1 localized to the cell surface, where it was bound but not released freely into the extracellular space. Expressed QSulf-1 with a substituted collapsin N-terminal signal peptide also localized to the cell
15 surface, thus providing further evidence that the sulfatase is secreted, but then binds to a component of the cells surface. Accordingly, QSulf-1 is the first known extracellular sulfatase, as all previously described sulfatases are lysosomal and involved in sulfate catabolism.
20 The localization of QSulf-1 to the cell surface places this enzyme in proximity to its putative heparin sulfate proteoglycan (HSP) substrates, glypican and syndecan. As the sulfation state of glucosamine 6-sulfate on these HSP substrates regulates developmental signaling, this
25 localization is consistent with other evidence provided herein that QSulf-1 has regulatory functions in the control of developmental signaling through its activity to regulate the sulfation states of glucosamine 6-sulfates on extracellular molecules such as HSP substrates.
30 A similar antisense approach to that described for somites can be used to better characterize QSulf-1 function in the neural tube floor plate and the notochord where QSulf-1 is expressed. In these experiments, embryos are treated with antisense QSulf-1 and expression of notochord, floor plate,
35 motor neuron and interneuron-specific marker gene (Roelink et

- 15 -

al. Cell 1994 76:761-775) is assayed. Pax3 is used as a marker to monitor the global changes in dorsal ventral neural tube patterning. Similar observations to somites treated with antisense QSulf-1 are expected as specific genes whose function is lost in response to QSulf-1 antisense treatment will be identified. Since QSulf-1 may regulate FGF activity to control the transition of somite cells from cell proliferation to differentiation, portions of premature differentiation in response to antisense QSulf-1 will also be monitored via an assay using differentiation markers over a time course treatment and inhibition of cell proliferation determined via BrdU incorporation and PCNA immunostaining.

To complement antisense experiments, QSulf-1 can also be misexpressed in the neural tube at various levels along the AP axis of the developing quail embryo using electroporation technology. In these experiments, QSulf-1 DNA and a control GFP expression plasmid are microinjected into the canal of the neural tube, which is then subjected to a brief electroporation shock to allow uptake of DNA. Embryos are then cultured at various times from 6 to 24 hours, thereby allowing time for overexpression of QSulf-1 at positions along the dorsal ventral axis of the neural tube in the region of the injection. This region of injection is varied relative to expression of endogenous QSulf-1. Embryos successfully electroporated are then fixed for *in situ* and antibody analysis. Notochord and neural tube markers of gene expression used in the antisense experiments are used to monitor gene expression. BrdU incorporation and PCNA immunostaining are used to monitor cell proliferation. C-terminal fusions of SdQSulf-1 with GFP in expression vectors can also be constructed for electroporation into neural tube and for transfection into cultured cells. GFP constructs permit monitoring of QSulf-1 expression directly, as well as determination of subcellular localization in membranes and possible secretion. The molecular expression phenotypes in

- 16 -

response to overexpression to define the timing and patterning of neural differentiation provides complementary information to that obtained from the antisense experiments.

RT-PCR and RNases protection assays are also used to
5 examine the expression of Sulf-1 in cultured quail myoblasts and the mammalian C2C12 myoblast cell line during the transition from cell proliferation to myofiber differentiation. In addition myoblasts can be transfected with Sulf-1 expression constructs in transient and stable
10 assays to determine if overexpression enhances myoblast differentiation and/or changes the responsiveness of the cells to addition of FGF in the stimulation of proliferation and inhibition of differentiation. Mouse ESTs for Sulf-1 and Sulf-2 have been recovered from cultured myoblasts, thus
15 indicating that members of this sulfatase subfamily are also expressed in murine myoblasts.

Xenopus embryos differentially utilize Shh, Wnt and FGF signaling pathways in the control of axis determination and mesoderm, endoderm and ectoderm cell specification (Heasman,
20 J. Development 1997 124:4179-4191 and Pownall et al. Development 1996 122:3881-3892). A variety of molecular markers and morphological phenotypes are available to monitor these processes in overexpression of specific gene products by injection of *in vitro* transcribed mRNAs into newly
25 fertilized embryos. Importantly, each of these signaling pathways can be distinguished by a unique combination of well-described perturbations in molecular and morphological phenotypes. For these experiments, *Sulf-1* or *Sulf-2* RNA is microinjected into blastomeres of newly fertilized embryos.
30 These embryos are then allowed to undergo embryonic development. Injected embryos are assayed for abnormalities in body plan morphology and tissue histology, as well as for the misexpression of key marker genes that are characteristic of specific signaling pathways. For example, if
35 overexpression of *Sulf-1* or *Sulf-2* interferes with FGF

- 17 -

signaling, loss of tail mesoderm development and loss of myoD and Brachyury expression in injected embryos would be expected. Enhancement of FGF signaling would cause loss of head structures, gain of tail mesoderm, and increased myoD and Brachyury expression. If injected *Sulf-1* or *Sulf-2* enhances maternal Wnt signaling, duplication of axis phenotypes, increased *Siamosis*, which is a primary target of Wnt signaling, would be observed. Enhancement of zygotic Wnt signaling results in loss of head specification, gain of tail formation and increase in *MyoD* expression while loss of zygotic Wnt signaling results in loss of tail formation and *MyoD* expression. Enhancement of Shh signaling results in increased expression of floorplate and myogenic specification markers such as *HNF3 β* and *MyoD*, while loss of Hedgehog signaling has the opposite molecular phenotype as well as causing cyclopecia in embryos (Altaba, A.R. Development 1998 125:2203-2212).

In addition, since the *C. elegans* genome sequence is nearly complete, *C. elegans* homologues of vertebrate genes and related ESTs can be readily identified by computer analysis. In fact, the *CeSulf-1* homologue was identified in the worm genome database and is depicted in SEQ ID NO:3. Based on the expression of *QSulf-1* in quail embryos, and the homology of this gene to *Sulf-1* and/or *Sulf-2* identified in *C. elegans*, *Drosophila*, mouse and human, it is believed that *Sulf-1* and *Sulf-2* are expressed in neural and muscle lineages in various species.

In *C. elegans*, the expression of any cloned gene can be readily disrupted for developmental analysis using RNAi technology. The RNAi procedure involves microinjection of double-stranded RNA in the coding region of the candidate genes into the oviduct and analysis of the phenotypes in emerging embryos. *CeSulf-1* mutants can thus be generated in *C. elegans* by RNAi and by screening insertion mutant libraries

- 18 -

for *Sulf-1* mutants. RNAi and insertion mutant strains can be characterized for lineage-specific lesions in early developmental processes, which can be assessed by microscopic analysis and analysis of gene expression using *in situ* hybridization and antibody markers. Of specific interest are *CeSulf-1* resulting in phenocopy loss-of function mutations of FGF, Wnt and Hedgehog signaling and lesions in neural and muscle lineages. For example, assays can be performed to determine whether *CeSulf-1* is required for *CeMyoD* expression and myogenesis as demonstrated in quail embryo somites. Also, since FGF signaling in *C. elegans* is required for the migration and proper position of sex myoblasts (Burdine et al. Development 1998 125:1083-1093), this can also be examined in the *CeSulf-1* mutant strains. Wnt signaling is required for neuroectoblast lineage determination and for the polarity of asymmetric cell division in tail hypodermal cells (Jiang, L.I. and Sternberg, P.W. Development 1998 125:2337-2347).

Based upon the activities demonstrated herein for members of this new sulfatase subfamily, it is believed that modulation of the expression and/or activity of proteins in this sulfatase family, such as *Sulf-1* and *Sulf-2*, can be used to modify growth properties and differentiation of cells in various species including humans. Modulation of growth properties of cells through alteration of *Sulf-1* or *Sulf-2* levels or activity is expected to be useful in treatment of cancer and in the inhibition of metastases. Modulation of sulfatase levels and/or activity is also useful in promoting differentiation of stem cells into myoblasts, neural cells and renal cells. Accordingly, modulation of members of this new sulfatase subfamily is also expected to be useful in developing cells for transplant in the treatment of muscle degenerative diseases, neurodegenerative disease and renal degenerative disease and in initiation growth of healthy cells and healing diseased cells in these conditions. By "modulation" it is meant to increase or decrease levels or

- 19 -

activity of proteins which are members of this subfamily of sulfatases, preferably Sulf-1 or Sulf-2. For example, the presence of a signal peptide in these proteins is indicative of their secretion. Accordingly, to increase protein levels, a gene encoding a member of this sulfatase subfamily can be administered via well known gene therapy methods. Alternatively, levels of the sulfatase can be increased by administration of a composition comprising purified, isolated sulfatase protein. Activity of this protein can be increased by administering an agonist designed to target and activate the sulfatase enzyme. Levels of expression of the sulfatase protein can be decreased by administration of an antisense oligonucleotide designed to hybridize with the sulfatase gene, thereby inhibiting its expression. Activity of the sulfatase protein can be decreased by administering an antagonist designed to target and inhibit activity of the sulfatase enzyme.

Further, it is believed that the extracellular glucose 6 sulfatases, Sulf-1 and Sulf-2, will be useful in the inhibition of viral infection and the control of inflammation. It is known that viruses such as Herpes Simplex virus and HIV-1 utilize sulfated heparin proteoglycans for viral entry (Shukla et al. Cell 1999 99:13; Banks et al. J. Cell Science 1998 111:533). Accordingly, modulating, or more preferably increasing, levels and/or activity of the extracellular glucose 6 sulfatases of the present invention, Sulf-1 and Sulf-2, via administration of purified enzymes or agents which increase levels or activity of these enzymes inhibits viral entry via sulfated heparin proteoglycans thereby inhibiting viral infection. Viral infections which can be inhibited via modulation of Sulf-1 and Sulf-2 are those caused by viruses which utilize sulfated heparin proteoglycans for viral entry. Similarly, it is known that cell surface glycosaminoglycans, including heparin sulfate proteoglycans, bind to cytokines to recruit lymphocytes to sites of inflammation (Kuschert et al.

- 20 -

Biochemistry 1999 38:12959). The lectin-like receptor, L-selectin, also mediates rolling of lymphocytes on endothelial venules through interactions with sulfated glycosaminoglycans, including glucoaminoglycans and galacrosaminoglycans (Bistrup
5 et al. J. Cell. Biol. 1999 145:899). Accordingly, extracellular glucose 6 sulfatases, Sulf-1 and Sulf-2, of the present invention or agents which modulate Sulf-1 or Sulf-2 activity or levels may also be used to control inflammation through modulation of lymphocyte recruitment.

- 21 -

What is Claimed is:

1. A nucleic acid sequence encoding a Sulf-1 or Sulf-2 protein.
2. The nucleic acid sequence of claim 1 wherein Sulf-1
5 or Sulf-2 comprises QSulf-1, CeSulf-1, DmSulf, MSulf-1, MSulf-2, HSulf-1 or HSulf-2.
3. A polypeptide comprising an amino acid sequence of Sulf-1 or Sulf-2.
4. The polypeptide of claim 3 wherein Sulf-1 or Sulf-2
10 is QSulf-1, CeSulf-1, DmSulf, MSulf-1, MSulf-2, HSulf-1 or HSulf-2.
5. A method of modifying growth properties of cells comprising modulating levels or activity of Sulf-1 or Sulf-2 in the cells.
- 15 6. The method of claim 5 wherein the cells are cancer cells.
7. A method of promoting differentiation of stem cells into muscle, neural or renal cells comprising modulating levels of Sulf-1 or Sulf-2 in the stem cells.
- 20 8. A method of treating musculoskeletal, neural or renal degenerative disorders comprising promoting the differentiation of stem cells into muscle cells, neural cells or renal cells by modulating Sulf-1 or Sulf-2 levels in the stem cells and transplanting the differentiated cells into
25 areas of degeneration.
9. A method of treating musculoskeletal, neural or renal degenerative disorders comprising modulating Sulf-1 or

- 22 -

Sulf-2 levels or activity to initiate growth of healthy cells and to heal diseased cells in these disorders.

10. A composition for modulating growth properties or differentiation of cells comprising an agent which modulates
5 Sulf-1 or Sulf-2 levels or activity in a cell.

11. A method for inhibiting infection of cells by viruses which utilize sulfated heparin proteoglycans for entry into the cells comprising increasing levels or activity of Sulf-1 or Sulf-2 in the cells.

10 12. A composition for inhibiting infection of cells by viruses which utilize sulfated heparin proteoglycans for entry into the cells comprising an agent which increases Sulf-1 or Sulf-2 levels or activity in the cell.

13. A method for modulating recruitment of lymphocytes
15 by cells to sites of inflammation comprising modulating levels or activity of Sulf-1 or Sulf-2 in the cells.

14. A composition for modulating recruitment of lymphocytes by cells to sites of inflammation comprising an agent which modulates Sulf-1 or Sulf-2 levels or activity in
20 the cells.

15. A functional embryonic technique for identification of developmental regulatory genes comprising:

- (a) identifying lineage-specific embryonic genes;
- (b) determining loss of function via embryo RNAi gene
25 knockout assays and chick embryo antisense knockout assays of the identified genes;
- (c) determining gain of function via embryo misexpression assays of the identified genes; and

- 23 -

(d) performing mammalian expression assays on genes determined in steps (b) and (c) to cause a loss or gain of function in the embryo.

FUNCTIONAL EMBRYONICS TECHNOLOGIES (FETs)




FIG. 1

SEQUENCE LISTING

<110> Emerson, Charles P
 Dhoot, Gurtej K
 The Trustees of the University of Pennsylvania
 The Royal Veterinary College

<120> IDENTIFICATION AND CLONING OF A NEW SUBFAMILY OF
 SULFATASES AND FUNCTIONAL EMBRYONIC TECHNIQUES FOR
 CHARACTERIZATION OF SUCH PROTEINS

<130> PENN-0732

<140>

<141>

<150> 60/155,738

<151> 1999-09-23

<160> 22

<170> PatentIn Ver. 2.0

<210> 1

<211> 5769

<212> DNA

<213> quails

<400> 1

```

ggcacgagct cagccctata gtttcagccc ttgtctctgc ctccagctcc ttaagagcca 60
cccagcccca gcgatcggat tgggcagccc gccttgacac accactgtgc tgagtgttg 120
aggacgtgtt tcaacagatg gttgggggta gtgtgtgtca tcacactoga gtggggatta 180
gggcagagag gcagcccggc tggagctgtg tggctctccc caagtgggaa ctgcgagcaa 240
aagaagaagc acctagcttt gggggagaag agagaggaat cctctccagc agctcagagg 300
ggaaaataaa accctcactc tttattcagc cagaaaagaa agactgatct ggggaagagt 360
ggaaaaacaa tgacaatata tctttcttgc ataagacaaa ggtgttgctt acaataaatt 420
cactgagcaa gaaatacaga cttctgtcca gtgctatgaa aattaaccaa ggcacattaa 480
cttcaggaaa tcttcaaagg acagaggaag aagctgtact gaacagtcct ggagactctg 540
aagcacaggg acagcgtgta ggtctttgac tgacagacct tctgctttct ccttcttgca 600
gggctcctcc tacagatgtt ctgaacacgt ctgcatccca gcaattttgt actgcaccca 660
ggtcttgaaa actggagttc aggcacttct ggattgggtt tgtgtgtgtt ttttttttca 720
ttgaaatact ggaactacta tgaagacctc ttggtttgca ctcttcttgg cagtgtctcag 780
tactgaactg ctgacaagtc attcttccac tctcaagtcc ctgaggttca gaggccgtgt 840
gcagcaagag agaaaaaata tcagaccaaa tatcatcctt gtgctcacag atgaccaaga 900
tgtggagcta ggttccttac aagtgatgaa caaaaccaga cggattatgg agaatggagg 960
ggcatccttc atcaatgcct tcgtaacaac cccgatgtgc tgcccatcac gtctctccat 1020
gtgactgga aagtatgtgc acaaccacaa catatacacc aacaatgaaa actgctcttc 1080
tccctcctgg caggccactc acgagccacg cactttogcc gtgtatctga ataacactgg 1140

```

gtatcgaaca gcttttttttg ggaaataacct caatgaatac aatggcagct acatccctcc 1200
 tgggtggaga gagtgggttg gattagtga gaactctcgc ttctataatt acaccatttc 1260
 tcgcaatggt aacaaagaga agcatggatt tgattatgca aaggactact tcacagacct 1320
 aatcactaat gagagcatta attacttcag aatgtccaag aggatatacc cacataggcc 1380
 cataatgatg gtcacagcc atgctgcgcc tcatggccct gaggattcgg cccacagtt 1440
 ctcagagctc taccccaacg cttcacagca taccacccc agctataact atgcaccaa 1500
 catggataag cactggatca tgcagtacac ggggcccag ctgcctatcc acatggagtt 1560
 tacaaacgct ttgcaacgca agagacttca gaccctgatg tcagttgatg actctatgga 1620
 aagattatac caaatgcttg cagaaatggg agagctggag aataacctaca ttatttacac 1680
 agctgaccat ggttaccata ttgggcagtt tggactggc aaggggaagt caatgccata 1740
 tgactttgat attcagagttc ctttctttat tctgtgtcca agtgtagagc caggatctgt 1800
 agtgcctcag atagttctga atattgatct tgcaccaaca attctggata ttgcaggact 1860
 tgacacacct ccagatatgg atggcaaate tgcctaaag cttctagact tggagagacc 1920
 aggaaatagg tttcgaacaa acaagaagac caaaatctgg cgtgacacat tcctggtgga 1980
 aagaggcaaa tttctgcgca aaaaagagga agctaacaaa aacactcagc aatctaatac 2040
 actgccaaag tatgagaggg taaaagaatt atgccacaa gcgagatacc agacagctcg 2100
 tgaacaacca ggacagaagt ggcagtgcac agaagatgct tctggcaagc ttcgaattca 2160
 caagtgaag gtatctagt acatcctggc catcaggaaa aggaccgca gcacccactc 2220
 caggggatay agtggtaaag ataaggactg caactgtgga gacaccgatt tccgaaacag 2280
 caggacccaa agaaaaaatc aaaggcagtt tctgagaaac ccagtgccg aaaaatacaa 2340
 accacgtttt gttcacactc gccaaacccg gtccttgtca gtggaatttg aaggtgaaat 2400
 atatgacata aacctggaag aggaagaact gcaggtgtta aagaccagaa gtatcaccaa 2460
 acgtcacat gctgaaaatg acaaaaaagc agaggaaact gatggtgctc ctggtgacac 2520
 gatggttgct gatggcactg atgttatagg tcaaccagc tctgtcagag tgacrcacaa 2580
 gtgttttatt cttccaaatg acactattcr ctgtgagagg gagctgtacc aatctgccag 2640
 agcctggaag gaccacaagg cttacatcga taaggagatt gaagctctcc aggacaaaat 2700
 caagaatttg agggaagtta gaggacacct aaaaagaaga aaaccagacg aatgtgactg 2760
 tactaaacag agctactaca acaaagagaa aggcgtaaag acccaagaga aatcaagag 2820
 ccatctacat cccttcaaag aagcagcaca ggaggtagac agcaaactgc agctgttcaa 2880
 agagaatcgc agaaggaaga aggaagaaa gggaaaaaag cgccagaaga arggggatga 2940
 gtgtagcctt cctggactga catgttttac tcatgacaat aaccattggc aaactgcacc 3000
 tttctggaac ttgggatctt tctgtgcttg cacaagctca aataacaaca cttactggtg 3060
 tttgcgaaca gtgaatgaca cccacaattt tctctttgt gaatttgcaa ctggcttctt 3120
 ggaatwcttt gatatgaaca ctgacccta tcagctgaca aataccgtac atacagtgga 3180
 aagaggcatt ttaaatacat tacatgtaca gttaatggaa ttacgaagtt gtcaaggtta 3240
 taagcagtg aatccgaggc cgaagggact tgaacagga aataaagatg gaggaagcta 3300
 tgatccacac agaggacagt tatgggatgg atgggaaggc taacctgccc agtttctactg 3360
 gtgatgtcaa ctggcaagga ctggaaaatt tgtacagagt gaataaaagt gtatatgaac 3420
 acagatacaa ctatagactt agtctggctg actggactaa ttacttgaag gatgtagata 3480
 gaatgtttgc actgctgaac agttactacc agcaaaataa aacagacaag gctaactctg 3540
 ctcaaagcaa cagggatgga gatgaatcat ctacatcaac ctgagcagaa atgtcttctg 3600
 cagaagaggc aagtggcctg actggagaag aattggagct tattgtgcca acagactttg 3660
 cagccctagc ttgagcacc atgaatttaa gtcaggagag* aaaacttgaa ttaaacaatg 3720
 atattcctga aaaaagtagt ttgaatgacg cacactggag aaataatcaa gctgaaaaat 3780
 ggatggwggg taaagaatca gaacgttttg atatggattt cagtggaaat ggtttgatac 3840
 agttggagtc ccggcatggc ttcagtctac agcccatcag cattcctcaa aaagacaytc 3900
 atcaggacac tgatgctatg agagacatat ttggagatca aatgtatctt cctgtgaggt 3960
 ccgatcaacc tgttgttcat caggctgtaa atgtatccat tagagattca tccatcagta 4020

```

cccagaaaaac aggaacgttt ttgaaaaaaa caaaacagag tcttagaggg gaaacttcac 4080
aagtcctaaa catagaaggc agcgccctcat ctccactctc cttggggttag atcaagttgc 4140
agattgttaa atacattctc cttttttctt attaccagaa ttataaaggc aatcatgaca 4200
actgacattc catattgast gtagatacaa tttgcagcta aattaagacc agttcagtat 4260
ttgtctgtgt gtattttatt cacacgcaca catacrtact ttcacagtga ttcrcctacac 4320
tggaagcag gatttccagc ttttaatgaa aagaaaaagt gttaactttc taatgcagca 4380
gcacattctc tataagctaa gatttctttg acaaggatgt tcaagtgact ttctctattt 4440
ccagatgac ccaccatgaa tgaatgtttc agtccacca atctgtctgc ataagtgttt 4500
tctgataaat tattttaacc actggaaatt cctaatagcc cactttcgag taaaacgatg 4560
ttgcactttt aaaaatctgta tgccatacca tttatgaatc taataactta cctgttctta 4620
gtttgttcgt tgactaatgt aattgtgaaa ccaataaata gattgacagg aaagagataa 4680
ccagcatgga ctgtggaaat agattgaata tcatttttagc aaaaatattg catgtttttg 4740
ttactttgat tgaattaaat ttgctctcag aaagggtatgg ctaataacttg ttaactagag 4800
gaggatttgt ttaaattgga ttgtttccct atatacgaca ttgtcagtat taaaattaca 4860
tgagtttgtt kgkttttttt wttactttt tttttttwtt ttatctaata ctggtagaaa 4920
ggcttggtgc aattcatata tacttctgtc acaagatctg atttttatta gcctgaatga 4980
taccttgaac acattctttt catttcgaga cttcaatttg tgggtgttgt ttgaacagtc 5040
attaaaggga atgataaaat catgttagat ttacattatt ctagatgcac atggggtaaa 5100
aagtagtagc ttagatagtt tttgtgtgtg tattgtctctg aagttttttc ttgaacttta 5160
tcaaac'ttta aattttataa agtataaaaa aaacacacaa aaacacaaac acaaaaaactt 5220
caaaatctgt actactagaa actatctttt tttgtttttt aataaattca aagtcattag 5280
cacaacacca ccaaacgaga attacctcaa acagatgtaa ttccacagca tccagttctt 5340
gggagtggtt cctatctgtt ccgtcttaat tagtgtagtg agtggttttg ggctactgca 5400
agcactgcag gttaaac'tta cgttcatcac attgtacttt cagttgaaac aagattgttt 5460
tagtaggatt ttaataattt taagaagcgg tctttttgat ggactctgta catatgttaa 5520
aattaactag ctctttgtct gatgtatgtg tcacgggctg attgatagaa gaagcgtatt 5580
tatgg'tcatg aatgaagcta ttatttgtac atagg'tttca agttactagg ataccagctg 5640
tg'tttt'taaa acttgtataa tacttctgtg atact'tttat agaacaattc tggcttcggg 5700
aaagtctaga agcaatattt cttgaaataa aaagtgtttt actttac'tg ccaaaaaaaa 5760
aaaaaaa

```

5769

<210> 2

<211> 867

<212> PRT

<213> quails

<400> 2

```

Met Lys Thr Ser Trp Phe Ala Leu Phe Leu Ala Val Leu Ser Thr Glu
  1                      5                      10                      15

```

```

Leu Leu Thr Ser His Ser Ser Thr Leu Lys Ser Leu Arg Phe Arg Gly
                20                      25                      30

```

```

Arg Val Gln Gln Glu Arg Lys Asn Ile Arg Pro Asn Ile Ile Leu Val
    35                      40                      45

```

```

Leu Thr Asp Asp Gln Asp Val Glu Leu Gly Ser Leu Gln Val Met Asn
    50                      55                      60

```

Lys Thr Arg Arg Ile Met Glu Asn Gly Gly Ala Ser Phe Ile Asn Ala
 65 70 75 80
 Phe Val Thr Thr Pro Met Cys Cys Pro Ser Arg Ser Ser Met Leu Thr
 85 90 95
 Gly Lys Tyr Val His Asn His Asn Ile Tyr Thr Asn Asn Glu Asn Cys
 100 105 110
 Ser Ser Pro Ser Trp Gln Ala Thr His Glu Pro Arg Thr Phe Ala Val
 115 120 125
 Tyr Leu Asn Asn Thr Gly Tyr Arg Thr Ala Phe Phe Gly Lys Tyr Leu
 130 135 140
 Asn Glu Tyr Asn Gly Ser Tyr Ile Pro Pro Gly Trp Arg Glu Trp Val
 145 150 155 160
 Gly Leu Val Lys Asn Ser Arg Phe Tyr Asn Tyr Thr Ile Ser Arg Asn
 165 170 175
 Gly Asn Lys Glu Lys His Gly Phe Asp Tyr Ala Lys Asp Tyr Phe Thr
 180 185 190
 Asp Leu Ile Thr Asn Glu Ser Ile Asn Tyr Phe Arg Met Ser Lys Arg
 195 200 205
 Ile Tyr Pro His Arg Pro Ile Met Met Val Ile Ser His Ala Ala Pro
 210 215 220
 His Gly Pro Glu Asp Ser Ala Pro Gln Phe Ser Glu Leu Tyr Pro Asn
 225 230 235 240
 Ala Ser Gln His Ile Thr Pro Ser Tyr Asn Tyr Ala Pro Asn Met Asp
 245 250 255
 Lys His Trp Ile Met Gln Tyr Thr Gly Pro Met Leu Pro Ile His Met
 260 265 270
 Glu Phe Thr Asn Val Leu Gln Arg Lys Arg Leu Gln Thr Leu Met Ser
 275 280 285
 Val Asp Asp Ser Met Glu Arg Leu Tyr Gln Met Leu Ala Glu Met Gly
 290 295 300
 Glu Leu Glu Asn Thr Tyr Ile Ile Tyr Thr Ala Asp His Gly Tyr His
 305 310 315 320

Ile Gly Gln Phe Gly Leu Val Lys Gly Lys Ser Met Pro Tyr Asp Phe
 325 330 335
 Asp Ile Arg Val Pro Phe Phe Ile Arg Gly Pro Ser Val Glu Pro Gly
 340 345 350
 Ser Val Val Pro Gln Ile Val Leu Asn Ile Asp Leu Ala Pro Thr Ile
 355 360 365
 Leu Asp Ile Ala Gly Leu Asp Thr Pro Pro Asp Met Asp Gly Lys Ser
 370 375 380
 Val Leu Lys Leu Leu Asp Leu Glu Arg Pro Gly Asn Arg Phe Arg Thr
 385 390 395 400
 Asn Lys Lys Thr Lys Ile Trp Arg Asp Thr Phe Leu Val Glu Arg Gly
 405 410 415
 Lys Phe Leu Arg Lys Lys Glu Glu Ala Asn Lys Asn Thr Gln Gln Ser
 420 425 430
 Asn Gln Leu Pro Lys Tyr Glu Arg Val Lys Glu Leu Cys Gln Gln Ala
 435 440 445
 Arg Tyr Gln Thr Ala Cys Glu Gln Pro Gly Gln Lys Trp Gln Cys Thr
 450 455 460
 Glu Asp Ala Ser Gly Lys Leu Arg Ile His Lys Cys Lys Val Ser Ser
 465 470 475 480
 Asp Ile Leu Ala Ile Arg Lys Arg Thr Arg Ser Ile His Ser Arg Gly
 485 490 495
 Tyr Ser Gly Lys Asp Lys Asp Cys Asn Cys Gly Asp Thr Asp Phe Arg
 500 505 510
 Asn Ser Arg Thr Gln Arg Lys Asn Gln Arg Gln Phe Leu Arg Asn Pro
 515 520 525
 Ser Ala Gln Lys Tyr Lys Pro Arg Phe Val His Thr Arg Gln Thr Arg
 530 535 540
 Ser Leu Ser Val Glu Phe Glu Gly Glu Ile Tyr Asp Ile Asn Leu Glu
 545 550 555 560
 Glu Glu Glu Leu Gln Val Leu Lys Thr Arg Ser Ile Thr Lys Arg His
 565 570 575

Asn Ala Glu Asn Asp Lys Lys Ala Glu Glu Thr Asp Gly Ala Pro Gly
 580 585 590

Asp Thr Met Val Ala Asp Gly Thr Asp Val Ile Gly Gln Pro Ser Ser
 595 600 605

Val Arg Val Thr His Lys Cys Phe Ile Leu Pro Asn Asp Thr Ile Arg
 610 615 620

Cys Glu Arg Glu Leu Tyr Gln Ser Ala Arg Ala Trp Lys Asp His Lys
 625 630 635 640

Ala Tyr Ile Asp Lys Glu Ile Glu Ala Leu Gln Asp Lys Ile Lys Asn
 645 650 655

Leu Arg Glu Val Arg Gly His Leu Lys Arg Arg Lys Pro Asp Glu Cys
 660 665 670

Asp Cys Thr Lys Gln Ser Tyr Tyr Asn Lys Glu Lys Gly Val Lys Thr
 675 680 685

Gln Glu Lys Ile Lys Ser His Leu His Pro Phe Lys Glu Ala Ala Gln
 690 695 700

Glu Val Asp Ser Lys Leu Gln Leu Phe Lys Glu Asn Arg Arg Arg Lys
 705 710 715 720

Lys Glu Arg Lys Gly Lys Lys Arg Gln Lys Lys Gly Asp Glu Cys Ser
 725 730 735

Leu Pro Gly Leu Thr Cys Phe Thr His Asp Asn Asn His Trp Gln Thr
 740 745 750

Ala Pro Phe Trp Asn Leu Gly Ser Phe Cys Ala Cys Thr Ser Ser Asn
 755 760 765

Asn Asn Thr Tyr Trp Cys Leu Arg Thr Val Asn Asp Thr His Asn Phe
 770 775 780

Leu Phe Cys Glu Phe Ala Thr Gly Phe Leu Glu Phe Phe Asp Met Asn
 785 790 795 800

Thr Asp Pro Tyr Gln Leu Thr Asn Thr Val His Thr Val Glu Arg Gly
 805 810 815

Ile Leu Asn Gln Leu His Val Gln Leu Met Glu Leu Arg Ser Cys Gln
 820 825 830

Gly Tyr Lys Gln Cys Asn Pro Arg Pro Lys Gly Leu Glu Thr Gly Asn
 835 840 845

Lys Asp Gly Gly Ser Tyr Asp Pro His Arg Gly Gln Leu Trp Asp Gly
 850 855 860

Trp Glu Gly
 865

<210> 3

<211> 709

<212> PRT

<213> Caenorhabditis elegans

<400> 3

Met Ile Ser Asn Leu Arg Ile Ser Asn Tyr Phe Ile Ile Phe Tyr Val
 1 5 10 15

Leu Phe Leu Ile Ile Pro Ile Lys Val Thr Ser Ile His Phe Val Asp
 20 25 30

Ser Gln His Asn Val Ile Leu Ile Leu Thr Asp Asp Gln Asp Ile Glu
 35 40 45

Leu Gly Ser Met Asp Phe Met Pro Lys Thr Ser Gln Ile Met Lys Glu
 50 55 60

Arg Gly Thr Glu Phe Thr Ser Gly Tyr Val Thr Thr Pro Ile Cys Cys
 65 70 75 80

Pro Ser Arg Ser Thr Ile Leu Thr Gly Leu Tyr Val His Asn His His
 85 90 95

Val His Thr Asn Asn Gln Asn Cys Thr Gly Val Glu Trp Arg Lys Val
 100 105 110

His Glu Lys Lys Ser Ile Gly Val Tyr Leu Gln Glu Ala Gly Tyr Arg
 115 120 125

Thr Ala Tyr Leu Gly Lys Tyr Leu Asn Glu Tyr Asp Gly Ser Tyr Ile
 130 135 140

Pro Pro Gly Trp Asp Glu Trp His Ala Ile Val Lys Asn Ser Lys Phe
 145 150 155 160

Tyr Asn Tyr Thr Met Asn Ser Asn Gly Glu Arg Glu Lys Phe Gly Ser

165	170	175
Glu Tyr Glu Lys Asp Tyr Phe Thr Asp Leu Val Thr Asn Arg Ser Leu		
180	185	190
Lys Phe Ile Asp Lys His Ile Lys Ile Arg Ala Trp Gln Pro Phe Ala		
195	200	205
Leu Ile Ile Ser Tyr Pro Ala Pro His Gly Pro Glu Asp Pro Ala Pro		
210	215	220
Gln Phe Ala His Met Phe Glu Asn Glu Ile Ser His Arg Thr Gly Ser		
225	230	235 240
Trp Asn Phe Ala Pro Asn Pro Asp Lys Gln Trp Leu Leu Gln Arg Thr		
245	250	255
Gly Lys Met Asn Asp Val His Ile Ser Phe Thr Asp Leu Leu His Arg		
260	265	270
Arg Arg Leu Gln Thr Leu Gln Ser Val Asp Glu Gly Ile Glu Arg Leu		
275	280	285
Phe Asn Leu Leu Arg Glu Leu Asn Gln Leu Trp Asn Thr Tyr Ala Ile		
290	295	300
Tyr Thr Ser Asp His Gly Tyr His Leu Gly Gln Phe Gly Leu Leu Lys		
305	310	315 320
Gly Lys Asn Met Pro Tyr Glu Phe Asp Ile Arg Val Pro Phe Phe Met		
325	330	335
Arg Gly Pro Gly Ile Pro Arg Asn Val Thr Phe Asn Glu Ile Val Thr		
340	345	350
Asn Val Asp Ile Ala Pro Thr Met Leu His Ile Ala Gly Val Pro Lys		
355	360	365
Pro Ala Arg Met Asn Gly Arg Ser Leu Leu Glu Leu Val Ala Leu Lys		
370	375	380
Lys Lys Lys Lys Lys His Met Thr Ala Leu Lys Pro Trp Arg Asp Thr		
385	390	395 400
Ile Leu Ile Glu Arg Gly Lys Met Pro Lys Leu Lys Lys Ile Arg Asp		
405	410	415
Arg Tyr Ile Lys Gln Lys Lys Lys Phe Asn Lys Glu Asn Arg Leu Ser		

420	425	430
Lys Glu Cys Lys Arg Arg Lys Trp Gln Arg Asp Cys Val His Gly Gln		
435	440	445
Leu Trp Lys Cys Tyr Tyr Thr Val Glu Asp Arg Trp Arg Ile Tyr Lys		
450	455	460
Cys Arg Asp Asn Trp Ser Asp Gln Cys Ser Cys Arg Lys Lys Arg Glu		
465	470	475 480
Ile Ser Asn Tyr Asp Asp Asp Asp Ile Asp Glu Phe Leu Thr Tyr Ala		
485	490	495
Asp Arg Glu Asn Phe Ser Glu Gly His Glu Trp Tyr Gln Gly Glu Phe		
500	505	510
Glu Asp Ser Gly Glu Val Gly Glu Glu Leu Asp Gly His Arg Ser Lys		
515	520	525
Arg Gly Ile Leu Ser Lys Cys Ser Cys Ser Arg Asn Val Ser His Pro		
530	535	540
Ile Lys Leu Leu Glu Gln Lys Met Ser Lys Lys His Tyr Leu Lys Tyr		
545	550	555 560
Lys Lys Lys Pro Gln Asn Gly Ser Leu Lys Pro Lys Asp Cys Ser Leu		
565	570	575
Pro Gln Met Asn Cys Phe Thr His Thr Ala Ser His Trp Lys Thr Pro		
580	585	590
Pro Leu Trp Pro Glu Glu Leu Gly Glu Phe Cys Phe Cys Gln Asn Cys		
595	600	605
Asn Asn Asn Thr Tyr Trp Cys Leu Arg Thr Lys Asn Glu Thr His Asn		
610	615	620
Phe Leu Tyr Cys Glu Phe Val Thr Glu Phe Ile Ser Phe Tyr Asp Phe		
625	630	635 640
Asn Thr Asp Pro Asp Gln Leu Ile Asn Ala Val Tyr Ser Leu Asp Ile		
645	650	655
Gly Val Leu Glu Gln Leu Ser Glu Gln Leu Arg Asn Leu Arg Lys Cys		
660	665	670
Lys Asn Arg Gln Cys Glu Ile Trp Ser Thr Ser Gln Met Leu Arg Ser		

675

680

685

Pro Lys Leu Val Asp Leu Arg Val Asn Glu Lys Ser Phe Leu Thr Tyr
 690 695 700

Gln Pro Glu Lys Thr
 705

<210> 4

<211> 473

<212> DNA

<213> Drosophila sp.

<220>

<221> unsure

<222> (372) .. (373)

<400> 4

```

cacttgcaag cggggtttg ttatcgacac aattttatgt aaacaaaaga aaacttcgat 60
ctgctccatg atcaccttag cccctctgat cgtcctagtc ctgcttgcc tgggaaacac 120
ggccagcgag aagttgcca acattctgct gatcctgtcc gacgatcagg atgtggagct 180
gcgcggtatg tttcccatgg agcatacgat cgaaatgctg ggtttcgggtg gcgccctggt 240
ccacaacgcc tacacgccct cgcccatctg ctgtccggcg aggacgagtc tgctgacggg 300
catgtatgcg cacaatcacg gcacccggaa caattccgta agtgggtggat gctacggacc 360
gcactggcgc gnntgcctgg agcccggtt ttgccatata tcttgacgca gcacggatac 420
aacaccttct ttggcgggaa gtacttgaat cagtactggg gcgctgggga tgt 473

```

<210> 5

<211> 540

<212> DNA

<213> Drosophila sp.

<400> 5

```

aggattgata atgaactcca agtactacaa ctacagcatt aacctgaatg gacaaaaaat 60
taagcacggt tttgactacg cttaaagacta ctatccggat ctgatagcca atgactcgat 120
tgctttcttc cgctcctcaa agcaacagaa ccagcggaag cagtgtgct caccatgagt 180
tttcctgcac cacatggccc tgaggattcg gctccccagt atagtcattt cttctttaat 240
gtgacaaccc atcacactcc atcgtatgat cagcggccaa atccggacaa gcaatggatc 300
ctgagggtca cggaacccat gcagcctggt cacaaaaggt tcaccaatct gctcatgacg 360
aagcgactgc aaacgctcca aagtgtcgac gttgccgtgg agcgggttta taacgagcta 420
aaagaactcg gagagctgga caacacttat atagtataca ctccgatca tgggttatcat 480
ctgggtcagt ttggacttat taaaggaaaa agttttccct ttgagtttga tgatcgtgtg 540

```

<210> 6

<211> 482

<212> DNA

<213> Mus sp.

<400> 6

```

aattcggacc ttgggaagtg aggggacacc taaagaaaag gaaacctgag gagtgtggct 60
gtggtgacca gagctattac aacaaagaga aagggtgtcaa acgacaggag aagctaaaga 120
gtcaccttca ccccttcaag gaggtgctg cccaggagggt ggatagcaaa cttcagctct 180
tcaaggagca tcggaggagg aagaaggaga ggaaggagaa gaaacggcag aggaaggagg 240
aggagtgtag cctgcctggc cttacctgct tcacccatga caacaaccac tggcagactg 300
ccccattctg gaacttggga tctttctgtg cctgcacaag ttctaacaac aatacctact 360
gggtgttgcg tacagtcaac gagacgcaca atttcctggt ttgtgagttt gctactggct 420
ttctggaata tttcgacatg aatacggatc cttatcagct cacaaatata gtacacacag 480
ta

```

<210> 7

<211> 160

<212> PRT

<213> Mus sp.

<400> 7

```

Phe Gly Pro Trp Glu Val Arg Gly His Leu Lys Lys Arg Lys Pro Glu
  1             5             10             15

Glu Cys Gly Cys Gly Asp Gln Ser Tyr Tyr Asn Lys Glu Lys Gly Val
          20             25             30

Lys Arg Gln Glu Lys Leu Lys Ser His Leu His Pro Phe Lys Glu Ala
          35             40             45

Ala Ala Gln Glu Val Asp Ser Lys Leu Gln Leu Phe Lys Glu His Arg
          50             55             60

Arg Arg Lys Lys Glu Arg Lys Glu Lys Lys Arg Gln Arg Lys Gly Glu
          65             70             75             80

Glu Cys Ser Leu Pro Gly Leu Thr Cys Phe Thr His Asp Asn Asn His
          85             90             95

Trp Gln Thr Ala Pro Phe Trp Asn Leu Gly Ser Phe Cys Ala Cys Thr
          100            105            110

Ser Ser Asn Asn Asn Thr Tyr Trp Val Leu Arg Thr Val Asn Glu Thr
          115            120            125

His Asn Phe Leu Phe Cys Glu Phe Ala Thr Gly Phe Leu Glu Tyr Phe
          130            135            140

Asp Met Asn Thr Asp Pro Tyr Gln Leu Thr Asn Thr Val His Thr Val
          145            150            155            160

```

<210> 8
 <211> 538
 <212> DNA
 <213> Mus sp.

<400> 8
 gtagcaccga tgggtcactt tgatgggatt gggggcagaa taatctggaa ggccaccagt 60
 accactgaaa ctgccaccat ccttgtcatc ttgggtcttca ggggcccctg agcagtgcgg 120
 cttgctaagg ttgcggggct gaggcacagt atccaagcct acgtgggtata tctcaccgtc 180
 cacctcgatg gccacggaac ggatggagcg gttccgggca tagctgggtct tatacttttt 240
 cttaaagagc ttacggcgtc cagccaggcc cagttttag tagctccac cgccactgtc 300
 acagctgcag gcctcgctgc tctggccgtc atacttgggc accaggttgg agagggctct 360
 gctgccaccg ccgccaccaa accgcatggg gcctttacat ttgtgcagct tcagcgtccc 420
 agaagcgctc tccacacact gccacttctg cccagctgt tcgcatgctg tctgggtactc 480
 agctcgctga cacaggtcct tcacgcgtg gtacttgggc aggaagttct ctccttg 538

<210> 9
 <211> 466
 <212> DNA
 <213> Mus sp.

<400> 9
 cgacttggac ctgtacaagt ccctgcaggc ttggaaagac cacaagctgc acatcgacca 60
 tgagatcgaa accctgcaga acaaaattaa gaaccttca gaagtcaggg gtcacctgaa 120
 gaagaagcga ccggaagaat gtgactgcc aaaaatcagt taccacagcc aacacaaagg 180
 ccgtctcaag cacaaaggct ccagcctgca ccctttcagg aagggtctgc aggagaagga 240
 caaggtgtgg ctgctgcggg acagaaacgc aagaagaaac tgcgcaactg ctcaaacggc 300
 tgcagaacaa cgatacgtgc agcatgccc gcctcacgtg ctttaccac gacaaccacc 360
 actggcagac ggcgccactc tggacgctgg ggccgttctg cgctgcacc agcgccaaca 420
 acaacacgta ctggtgcttg aggaccataa atgagaccca caactt 466

<210> 10
 <211> 494
 <212> DNA
 <213> Mus sp.

<400> 10
 agaagaagcg accggaagaa tgtgactgcc ataaaatcag ttaccacagc caacacaaag 60
 gccgtctcaa gcacaaaggc tccagcctgc accctttcag gaagggtctg caggagaagg 120
 acaaggtgtg gctgctgcgg gacagaaacg caagaagaaa ctgcgcaact gctcaaacgg 180
 ctgcagaaca acgatacgtg cagcatgcc gcctcacgtg ctttaccac gacaaccacc 240
 actggcagac ggcgccactc tggacgctgg ggccgttctg cgctgcacc agcgccaaca 300
 acaacacgta ctggtgcttg aggaccataa atgagaccca caacttctc ttctgcgaat 360
 ttgcaaccgg cttcatagaa tactttgacc tcagtacaga cccctaccag ctgatgaacg 420

cggtgaacac actggacagg gacgtcctta accaactgca cgtgcagctc atggagctaa 480
 ggagctgtaa aggg 494

<210> 11
 <211> 436
 <212> DNA
 <213> Mus sp.

<400> 11
 agcagagccc tctccaacct ggtgcccaag tatgacggcc agagcagcga ggcctgcagc 60
 tgtgacagtg gcggtggagg ggactacaaa ctgggcctgg ctggacgccg taagctcttt 120
 aagaaaaagt ataagaccag ctatgcccgg aaccgctcca tccgttccgt ggccatcgag 180
 gtggacgggtg agatatacca cgtaggcttg gatactgtgc ctacagcccc caaccttagc 240
 aagccgcact ggccaggggc ccgtgaagac caagatgaca aggatgggtg cagtttcagt 300
 ggtactgggtg gccttccaga ttattctgcc cccaatccca tcaaagtgc ccatcggtgc 360
 tacatccttg agaatgacac agtccagtgc gacttggacc tgtacaagtc cctgcaggct 420
 tggaaagacc acaagc 436

<210> 12
 <211> 459
 <212> DNA
 <213> Mus sp.

<400> 12
 cccacgacaa ccaccactgg cagacggcgc cactctggac gctggggccg ttctgcgcct 60
 gcaccagcgc caacaacaac acgtactggc gcttgaggac cataaatgag acccacaact 120
 tcctcttctg cgaatttgca accggcttca tagaatactt tgacctcagt acagaccct 180
 accagctgat gaacgcgggtg aacacactgg acagggagct ccttaaccaa ctgcacgtgc 240
 agctcatgga gctaaggagc tgtaaaggct acaagcagtg caaccccccg acccgcaaca 300
 tggacctggg gcttagagac ggaggaagct atgaacaata caggcagttt cagcgctgaa 360
 aatggccaga aatgaagaga ccttcttcca aatcactggg acagctatgg gaagggtggg 420
 aaggctaagc ggccatagag agaggaactc caaaaccag 459

<210> 13
 <211> 1367
 <212> DNA
 <213> Mus sp.

<400> 13
 ccaggaggag aacttcctgc ccaagtacca gcgcgtgaag gacctgtgtc agcgagctga 60
 gtaccagaca gcatgcgaac agctggggca gaagtggcag tgtgtggagg acgcttctgg 120
 gacgtgaag ctgcacaaat gtaaaggccc catgcgggtt ggtggcggcg gtggcagcag 180
 agccctctcc aacctggtgc ccaagtatga cggccagagc agcgaggcct gcagctgtga 240
 cagtggcggt ggaggggact acaaactggg cctggctgga cgccgtaagc tctttaagaa 300
 aaagtataag accagctatg cccggaaccg ctccatccgt tccgtggcca tcgaggtgga 360
 cggtgagata taccacgtag gcttggatag tgtgcctcag ccccgcaacc ttagcaagcc 420
 gcactgsyca gggggccstg aagaccaaga tgacaaggat ggtggcagtt tcagtggtag 480
 tgggtggcctt ccagattatt ctgcccccaa tcccatcaaa gtgacccatc ggtgctacat 540

```

ccttgagaat gacacagtcc agtgcgactt ggacctgtac aagtccttgc aggcttggaa 600
agaccacaag ctgcacatcg accatgagat cgaaaccctg cagaacaaaa ttaagaacct 660
tcgagaagtc aggggtcacc tgaagaagaa gcgaccggaa gaatgtgact gccataaaat 720
cagttaccac agccaacaca aaggccgtct caagcacaaa ggctccagcc tgcacccttt 780
caggaagggg ctgcaggaga aggacaaggt gtggctgctg cgggacagaa acgcaagaag 840
aaactgcgca actgctcaaa cggctgcaga acaacgatac gtgcagcatg ccggcctcac 900
gtgctttacc cagacaacc accactggca gacggcgcca ctctggacgc tggggccggt 960
ctgcgcctgc accagcgcca acaacaacac gtactggtgc ttgaggacca taaatgagac 1020
ccacaacttc ctcttctgcg aatttgcaac cggcttcata gaatactttg acctcagtac 1080
agacccttac cagctgatga acgcggtgaa cacactggac agggacgtcc ttaaccaact 1140
gcacgtgcag ctcatggagc taaggagctg taaaggctac aagcagtgc accccggac 1200
ccgcaacatg gacctggggc ttagagacgg aggaagctat gaacaatata ggcagtttca 1260
gcgtcgaaaa tggccagaaa tgaagagacc ttcttccaaa tcaactgggac agctatggga 1320
aggttgggaa ggctaagcgg ccatagagag aggaactcca aaaccag 1367

```

<210> 14

<211> 455

<212> PRT

<213> Mus sp.

<220>

<221> UNSURE

<222> (445)

<400> 14

```

Gln Glu Glu Asn Phe Leu Pro Lys Tyr Gln Arg Val Lys Asp Leu Cys
  1                      5                      10                      15

```

```

Gln Arg Ala Glu Tyr Gln Thr Ala Cys Glu Gln Leu Gly Gln Lys Trp
          20                      25                      30

```

```

Gln Cys Val Glu Asp Ala Ser Gly Thr Leu Lys Leu His Lys Cys Lys
          35                      40                      45

```

```

Gly Pro Met Arg Phe Gly Gly Gly Gly Gly Ser Arg Ala Leu Ser Asn
          50                      55                      60

```

```

Leu Val Pro Lys Tyr Asp Gly Gln Ser Ser Glu Ala Cys Ser Cys Asp
          65                      70                      75                      80

```

```

Ser Gly Gly Gly Gly Asp Tyr Lys Leu Gly Leu Ala Gly Arg Arg Lys
          85                      90                      95

```

```

Leu Phe Lys Lys Lys Tyr Lys Thr Ser Tyr Ala Arg Asn Arg Ser Ile
          100                      105                      110

```

```

Arg Ser Val Ala Ile Glu Val Asp Gly Glu Ile Tyr His Val Gly Leu
          115                      120                      125

```

Asp Thr Val Pro Gln Pro Arg Asn Leu Ser Lys Pro His Xaa Xaa Gly
 130 135 140

Ala Xaa Glu Asp Gln Asp Asp Lys Asp Gly Gly Ser Phe Ser Gly Thr
 145 150 155 160

Gly Gly Leu Pro Asp Tyr Ser Ala Pro Asn Pro Ile Lys Val Thr His
 165 170 175

Arg Cys Tyr Ile Leu Glu Asn Asp Thr Val Gln Cys Asp Leu Asp Leu
 180 185 190

Tyr Lys Ser Leu Gln Ala Trp Lys Asp His Lys Leu His Ile Asp His
 195 200 205

Glu Ile Glu Thr Leu Gln Asn Lys Ile Lys Asn Leu Arg Glu Val Arg
 210 215 220

Gly His Leu Lys Lys Lys Arg Pro Glu Glu Cys Asp Cys His Lys Ile
 225 230 235 240

Ser Tyr His Ser Gln His Lys Gly Arg Leu Lys His Lys Gly Ser Ser
 245 250 255

Leu His Pro Phe Arg Lys Gly Leu Gln Glu Lys Asp Lys Val Trp Leu
 260 265 270

Leu Arg Asp Arg Asn Ala Arg Arg Asn Cys Ala Thr Ala Gln Thr Ala
 275 280 285

Ala Glu Gln Arg Tyr Val Gln His Ala Gly Leu Thr Cys Phe Thr His
 290 295 300

Asp Asn His His Trp Gln Thr Ala Pro Leu Trp Thr Leu Gly Pro Phe
 305 310 315 320

Cys Ala Cys Thr Ser Ala Asn Asn Asn Thr Tyr Trp Cys Leu Arg Thr
 325 330 335

Ile Asn Glu Thr His Asn Phe Leu Phe Cys Glu Phe Ala Thr Gly Phe
 340 345 350

Ile Glu Tyr Phe Asp Leu Ser Thr Asp Pro Tyr Gln Leu Met Asn Ala
 355 360 365

Val Asn Thr Leu Asp Arg Asp Val Leu Asn Gln Leu His Val Gln Leu
 370 375 380

Met Glu Leu Arg Ser Cys Lys Gly Tyr Lys Gln Cys Asn Pro Arg Thr
 385 390 395 400

Arg Asn Met Asp Leu Gly Leu Arg Asp Gly Gly Ser Tyr Glu Gln Tyr
 405 410 415

Arg Gln Phe Gln Arg Arg Lys Trp Pro Glu Met Lys Arg Pro Ser Ser
 420 425 430

Lys Ser Leu Gly Gln Leu Trp Glu Gly Trp Glu Gly Xaa Ala Ala Ile
 435 440 445

Glu Arg Gly Thr Pro Lys Pro
 450 455

<210> 15

<211> 4834

<212> DNA

<213> Homo sapiens

<400> 15

gatgtggagc tggggtcctt gcaagtcatt aacaaaacga gaaagattat ggaacatggg 60
 ggggccacct tcatcaatgc ctttgtgact acacccatgt gctgcccgtc acgggtcctcc 120
 atgctcaccg ggaagtatgt gcacaatcac aatgtctaca ccaacaacga gaactgctct 180
 tccccctcgt ggcaggccat gcatgagcct cggacttttg ctgtatatct taacaacact 240
 ggctacagaa cagccttttt tggaaaatac ctcaatgaat ataatggcag ctacatcccc 300
 cctgggtggc gagaatggct tggattaatc aagaattctc gcttctataa ttacactggt 360
 tgtcgcaatg gcatcaaaga aaagcatgga tttgattatg caaaggacta cttcacagac 420
 ttaatcacta acgagagcat taattacttc aaaatgtcta agagaatgta tccccatagg 480
 cccgttatga tgggtgatcag ccacgctgcg cccacaggcc ccgaggactc agccccacag 540
 ttttctaacc tgtaccccaa tgcttcccaa cacataactc ctagtataa ctatgcacca 600
 aatatggata aacactggat tatgcagtac acaggaccaa tgctgcccac ccacatggaa 660
 tttaacaaca ttctacagcg caaaaggctc cagactttga tgtcagtggg tgattctgtg 720
 gagaggctgt ataacatgct cgtggagacg ggggagctgg agaatactta catcatttac 780
 accgcccagc atggttacca tattgggcag tttggactgg tcaaggggaa atccatgcca 840
 tatgactttg atattcgtgt gccttttttt attcgtgggc caagtgtaga accaggatca 900
 atagtccac agatcgttct caacattgac ttggccccc cagtcctgga tattgctggg 960
 ctgcacacac ctctgatgt ggacggcaag tctgtcctca aacttctgga ccagaaaag 1020
 ccaggtaaca ggtttcgaac aaacaagaag gccaaaattt ggcgtgatac attcctagtg 1080
 gaaagaggca aatttctacg taagaaggaa gaatccagca agaatatcca acagtcaa 1140
 cacttgccca aatatgaacg ggtcaaagaa ctatgccagc aggccaggta ccagacagcc 1200
 tgtgaacaac cggggcagaa gtggcaatgc attgaggata catctggcaa gcttcgaatt 1260
 cacaagtgtg aaggacccag tgacctgtc acagtccggc agagcacgcg gaacctctac 1320
 gctcgcggtc tccatgacaa agacaaagag tgcagttgta gggagtctgg ttaccgtgcc 1380
 agcagaagcc aaagaaagag tcaacggcaa ttcttgagaa accaggggac tccaaagtac 1440
 aagcccagat ttgtccatac tcggcagaca cgttccttgt ccgtcgaatt tgaaggtgaa 1500

```

atatatgaca taaatctgga agaagaagaa gaattgcaag tgttgcaacc aagaaacatt 1560
gctaagcgtc atgatgaagg ccacaagggg ccaagagatc tccaggcttc cagtggtygc 1620
aacaggggca ggatgctggc agatagcagc aacgccgtgg gccacacctac cactgtccga 1680
gtgacacaca agtgttttat tcttcccaat gactctatcc attgtgagag agaactgtac 1740
caatcggccca gagcgtggaa ggaccataag gcatacattg acaaagagat tgaagctctg 1800
caagataaaa ttaagaattht aagagaagtg agaggacatc tgaagagaag gaagcctgag 1860
gaatgtagct gcagtaaaaca aagctattac aataaagaga aagggtgtaa aaagcaagag 1920
aaattaaaga gccatcttca cccattcaag gaggctgctc aggaagtaga tagcaactg 1980
caacttttca aggagaacaa ccgtaggagg aagaaggaga ggaaggagaa gagacggcag 2040
aggaaggggg aagagtgcag cctgcctggc ctacttgct tcacgcatga caacaaccac 2100
tggcagacag ccccgcttctg gaacctggga tctttctgtg cttgcacgag ttctaacaat 2160
aacacctact ggtgtttgctg tacagttaat gagacgcata attttctttt ctgtgagttt 2220
gctactggct ttttgagta ttttgatatg aatacagatc cttatcagct cacaatatca 2280
gtgcacacgg tagaacgagg cattttgaat cagctacacg tacaactaat ggagctcaga 2340
agctgtcaag gatataagca gtgcaaccca agacctaaaga atcttgatgt tggaaataaa 2400
gatggaggaa gctatgacct acacagagga cagttatggg atggatggga aggttaatca 2460
gccccgtctc actgcagaca tcaactggca aggcctagag gagctacaca gtgtgaatga 2520
aaacatctat gagtacagac aaaactacag acttagtctg gtggactgga ctaattactt 2580
gaaggattta gatagagtat ttgcactgct gaagagtcac tatgagcaaa ataaaaacaaa 2640
taagactcaa actgctcaaa gtgacgggtt cttggttgtc tctgctgagc acgctgtgtc 2700
aatggagatg gectctgctg actcagatga agacccaagg cataagggtg ggaaaacacc 2760
tcatttgacc ttgccagctg accttcaaac cctgcatttg aaccgaccaa cattaagtcc 2820
agagagtaaa cttgaatgga ataacgacat tccagaagtt aatcatttga attctgaaca 2880
ctggagaaaa accgaaaaat ggacggggca tgaagagact aatcatctgg aaaccgattt 2940
cagtggcgat ggcagacag agctagagct cggggccagc cccaggctgc agcccattcg 3000
caggcaccgg aaagaacttc cccagtatgg tggctcctgga aaggacattt ttgaagatca 3060
actatatctt cctgtgcatt ccgatggaat ttcagttcat cagatgttca ccatggccac 3120
cgcagaacac cgaagtaatt ccagcatagc ggggaagatg ttgaccaagg tggagaagaa 3180
tcacgaaaag gagaagtcac agcacctaga aggcagcgcc tctcttcac tctcctctga 3240
ttagatgaaa ctgttacctt accctaaaca cagtatttct ttttaacttt tttatttgta 3300
aactaataaa ggtaatcaca gccaccaaca tccaagcta ccctgggtac ctttgtgcag 3360
tagaagctag tgagcatgtg agcaagcggg gtgcacacgg agactcatcg ttataattta 3420
ctatctgcca agagtagaaa gaaaggctgg ggatatttgg gttggcttgg ttttgatttt 3480
ttgcttgttt gttgtttttg tactaaaaca gtattatctt ttgaatatcg tagggacata 3540
agtatatata tggttatccaa tcaagatggc tagaatggg cctttctgag tgtctaaaac 3600
ttgacacccc tggtaaactt ttcaacacac ttccactgcc tgcgtaatga agttttgatt 3660
catttttaac cactggaatt tttcaatgcc gtcattttca gttagatgat tttgcacttt 3720
gagattaaaa tgccatgtct atttgattag tcttattttt ttatttttac aggcttatca 3780
gtctcactgt tggctgtcat tgtgacaaag tcaaataaac cccaaggac gacacacagt 3840
atggatcaca tattgtttga catthaagctt ttgccagaaa atgttgcatg tgttttacct 3900
cgacttgcta aaatcgatta gcagaaaggc atggctaata atgttggtgg tgaaaaataa 3960
taaataagta aacaaaatga agattgcctg ctctctctgt gcctagcctc aaagcgttca 4020
tcatacatca tacctttaag attgctatat tttgggttat tttcttgaca ggagaaaaag 4080
atctaaagat cttttatttt catctttttt ggttttcttg gcatgactaa gaagcttaaa 4140
tgttgataaa atatgactag ttttgaattt acaccaagaa cttctcaata aaagaaaatc 4200
atgaatgtct cacaatttca acataccaca agagaagtta atttcttaac attgtgttct 4260
atgattattht gtaagacctt caccaagttc tgatatcttt taaagacata gttcaaaatt 4320
gcttttgaaa atctgtattc ttgaaaatat ccttggtgtg tattaggttt ttaaatacca 4380

```

gctaaaggat tacctcactg agtcatcagt accctcctat tcagctcccc aagatgatgt 4440
gtttttgctt accctaagag aggttttctt cttattttta gataattcaa gtgcttagat 4500
aaattatgtt ttctttaagt gtttatggta aactctttta aagaaaattt aatatgttat 4560
agctgaatct ttttggtaac tttaaatctt tatcatagac tctgtacata tgttcaaatt 4620
agctgcttgc ctgatgtgtg tatcatcggg gggatgacag aacaaacata tttatgatca 4680
tgaataatgt gctttgtaaa aagatttcaa gttattagga agcatactct gttttttaat 4740
catgtataat attccatgat acttttatag aacaattctg gcttcaggaa agtctagaag 4800
caatatttct tcaaataaaa ggtgttttaa cttt 4834

<210> 16

<211> 1611

<212> PRT

<213> Homo sapiens

<220>

<221> UNSURE

<222> (819)

<220>

<221> UNSURE

<222> (840)

<220>

<221> UNSURE

<222> (844)

<220>

<221> UNSURE

<222> (852)

<220>

<221> UNSURE

<222> (858)

<220>

<221> UNSURE

<222> (865)

<220>

<221> UNSURE

<222> (875)

<220>

<221> UNSURE

<222> (878)

<220>

<221> UNSURE

<222> (881)

<220>

<221> UNSURE

<222> (888)

<220>

<221> UNSURE

<222> (896)

<220>

<221> UNSURE

<222> (907)

<220>

<221> UNSURE

<222> (910)

<220>

<221> UNSURE

<222> (915)

<220>

<221> UNSURE

<222> (927)

<220>

<221> UNSURE

<222> (943)

<220>

<221> UNSURE

<222> (945)

<220>

<221> UNSURE

<222> (948)

<220>

<221> UNSURE

<222> (954)

<220>

<221> UNSURE

<222> (959)

<220>

<221> UNSURE

<222> (971)

<220>

<221> UNSURE

<222> (974)

<220>

<221> UNSURE

<222> (1018)

<220>

<221> UNSURE

<222> (1046)

<220>

<221> UNSURE

<222> (1080)

<220>

<221> UNSURE

<222> (1089)

<220>

<221> UNSURE

<222> (1102) .. (1103)

<220>

<221> UNSURE

<222> (1105)

<220>

<221> UNSURE

<222> (1121)

<220>

<221> UNSURE

<222> (1127)

<220>

<221> UNSURE

<222> (1191)

<220>

<221> UNSURE

<222> (1199)

<220>

<221> UNSURE

<222> (1223)

<220>

<221> UNSURE

<222> (1235)

<220>

<221> UNSURE

<222> (1250)

<220>

<221> UNSURE

<222> (1307)

<220>

<221> UNSURE

<222> (1321)

<220>

<221> UNSURE

<222> (1356)

<220>

<221> UNSURE

<222> (1362)

<220>

<221> UNSURE

<222> (1382) .. (1383)

<220>

<221> UNSURE

<222> (1397)

<220>

<221> UNSURE

<222> (1431)

<220>

<221> UNSURE

<222> (1437)

<220>

<221> UNSURE

<222> (1448)

<220>

<221> UNSURE

<222> (1458)

<220>

<221> UNSURE

<222> (1467)

<220>

<221> UNSURE

<222> (1479)

<220>

<221> UNSURE

<222> (1495)

<220>

<221> UNSURE

<222> (1506)

<220>

<221> UNSURE

<222> (1522)

<220>

<400> 16

Asp	Val	Glu	Leu	Gly	Ser	Leu	Gln	Val	Met	Asn	Lys	Thr	Arg	Lys	Ile
1				5					10					15	

Met	Glu	His	Gly	Gly	Ala	Thr	Phe	Ile	Asn	Ala	Phe	Val	Thr	Thr	Pro
			20					25					30		

Met	Cys	Cys	Pro	Ser	Arg	Ser	Ser	Met	Leu	Thr	Gly	Lys	Tyr	Val	His
	35						40					45			

Asn	His	Asn	Val	Tyr	Thr	Asn	Asn	Glu	Asn	Cys	Ser	Ser	Pro	Ser	Trp
	50					55					60				

Gln	Ala	Met	His	Glu	Pro	Arg	Thr	Phe	Ala	Val	Tyr	Leu	Asn	Asn	Thr
65					70					75					80

Gly	Tyr	Arg	Thr	Ala	Phe	Phe	Gly	Lys	Tyr	Leu	Asn	Glu	Tyr	Asn	Gly
			85						90					95	

Ser	Tyr	Ile	Pro	Pro	Gly	Trp	Arg	Glu	Trp	Leu	Gly	Leu	Ile	Lys	Asn
			100					105					110		

Ser	Arg	Phe	Tyr	Asn	Tyr	Thr	Val	Cys	Arg	Asn	Gly	Ile	Lys	Glu	Lys
		115					120					125			

His Gly Phe Asp Tyr Ala Lys Asp Tyr Phe Thr Asp Leu Ile Thr Asn
 130 135 140

Glu Ser Ile Asn Tyr Phe Lys Met Ser Lys Arg Met Tyr Pro His Arg
 145 150 155 160

Pro Val Met Met Val Ile Ser His Ala Ala Pro His Gly Pro Glu Asp
 165 170 175

Ser Ala Pro Gln Phe Ser Lys Leu Tyr Pro Asn Ala Ser Gln His Ile
 180 185 190

Thr Pro Ser Tyr Asn Tyr Ala Pro Asn Met Asp Lys His Trp Ile Met
 195 200 205

Gln Tyr Thr Gly Pro Met Leu Pro Ile His Met Glu Phe Thr Asn Ile
 210 215 220

Leu Gln Arg Lys Arg Leu Gln Thr Leu Met Ser Val Asp Asp Ser Val
 225 230 235 240

Glu Arg Leu Tyr Asn Met Leu Val Glu Thr Gly Glu Leu Glu Asn Thr
 245 250 255

Tyr Ile Ile Tyr Thr Ala Asp His Gly Tyr His Ile Gly Gln Phe Gly
 260 265 270

Leu Val Lys Gly Lys Ser Met Pro Tyr Asp Phe Asp Ile Arg Val Pro
 275 280 285

Phe Phe Ile Arg Gly Pro Ser Val Glu Pro Gly Ser Ile Val Pro Gln
 290 295 300

Ile Val Leu Asn Ile Asp Leu Ala Pro Thr Ile Leu Asp Ile Ala Gly
 305 310 315 320

Leu Asp Thr Pro Pro Asp Val Asp Gly Lys Ser Val Leu Lys Leu Leu
 325 330 335

Asp Pro Glu Lys Pro Gly Asn Arg Phe Arg Thr Asn Lys Lys Ala Lys
 340 345 350

Ile Trp Arg Asp Thr Phe Leu Val Glu Arg Gly Lys Phe Leu Arg Lys
 355 360 365

Lys Glu Glu Ser Ser Lys Asn Ile Gln Gln Ser Asn His Leu Pro Lys
 370 375 380

Tyr Glu Arg Val Lys Glu Leu Cys Gln Gln Ala Arg Tyr Gln Thr Ala
 385 390 395 400
 Cys Glu Gln Pro Gly Gln Lys Trp Gln Cys Ile Glu Asp Thr Ser Gly
 405 410 415
 Lys Leu Arg Ile His Lys Cys Lys Gly Pro Ser Asp Leu Leu Thr Val
 420 425 430
 Arg Gln Ser Thr Arg Asn Leu Tyr Ala Arg Gly Phe His Asp Lys Asp
 435 440 445
 Lys Glu Cys Ser Cys Arg Glu Ser Gly Tyr Arg Ala Ser Arg Ser Gln
 450 455 460
 Arg Lys Ser Gln Arg Gln Phe Leu Arg Asn Gln Gly Thr Pro Lys Tyr
 465 470 475 480
 Lys Pro Arg Phe Val His Thr Arg Gln Thr Arg Ser Leu Ser Val Glu
 485 490 495
 Phe Glu Gly Glu Ile Tyr Asp Ile Asn Leu Glu Glu Glu Glu Glu Leu
 500 505 510
 Gln Val Leu Gln Pro Arg Asn Ile Ala Lys Arg His Asp Glu Gly His
 515 520 525
 Lys Gly Pro Arg Asp Leu Gln Ala Ser Ser Gly Gly Asn Arg Gly Arg
 530 535 540
 Met Leu Ala Asp Ser Ser Asn Ala Val Gly Pro Pro Thr Thr Val Arg
 545 550 555 560
 Val Thr His Lys Cys Phe Ile Leu Pro Asn Asp Ser Ile His Cys Glu
 565 570 575
 Arg Glu Leu Tyr Gln Ser Ala Arg Ala Trp Lys Asp His Lys Ala Tyr
 580 585 590
 Ile Asp Lys Glu Ile Glu Ala Leu Gln Asp Lys Ile Lys Asn Leu Arg
 595 600 605
 Glu Val Arg Gly His Leu Lys Arg Arg Lys Pro Glu Glu Cys Ser Cys
 610 615 620
 Ser Lys Gln Ser Tyr Tyr Asn Lys Glu Lys Gly Val Lys Lys Gln Glu
 625 630 635 640

Lys Leu Lys Ser His Leu His Pro Phe Lys Glu Ala Ala Gln Glu Val
 645 650 655
 Asp Ser Lys Leu Gln Leu Phe Lys Glu Asn Asn Arg Arg Arg Lys Lys
 660 665 670
 Glu Arg Lys Glu Lys Arg Arg Gln Arg Lys Gly Glu Glu Cys Ser Leu
 675 680 685
 Pro Gly Leu Thr Cys Phe Thr His Asp Asn Asn His Trp Gln Thr Ala
 690 695 700
 Pro Phe Trp Asn Leu Gly Ser Phe Cys Ala Cys Thr Ser Ser Asn Asn
 705 710 715 720
 Asn Thr Tyr Trp Cys Leu Arg Thr Val Asn Glu Thr His Asn Phe Leu
 725 730 735
 Phe Cys Glu Phe Ala Thr Gly Phe Leu Glu Tyr Phe Asp Met Asn Thr
 740 745 750
 Asp Pro Tyr Gln Leu Thr Asn Thr Val His Thr Val Glu Arg Gly Ile
 755 760 765
 Leu Asn Gln Leu His Val Gln Leu Met Glu Leu Arg Ser Cys Gln Gly
 770 775 780
 Tyr Lys Gln Cys Asn Pro Arg Pro Lys Asn Leu Asp Val Gly Asn Lys
 785 790 795 800
 Asp Gly Gly Ser Tyr Asp Leu His Arg Gly Gln Leu Trp Asp Gly Trp
 805 810 815
 Glu Gly Xaa Ser Ala Pro Ser His Cys Arg His Gln Leu Ala Arg Pro
 820 825 830
 Arg Gly Ala Thr Gln Cys Glu Xaa Lys His Leu Xaa Val Gln Thr Lys
 835 840 845
 Leu Gln Thr Xaa Ser Gly Gly Leu Asp Xaa Leu Leu Glu Gly Phe Arg
 850 855 860
 Xaa Ser Ile Cys Thr Ala Glu Glu Ser Leu Xaa Ala Lys Xaa Asn Lys
 865 870 875 880
 Xaa Asp Ser Asn Cys Ser Lys Xaa Arg Val Leu Gly Cys Leu Cys Xaa
 885 890 895

Ala Arg Cys Val Asn Gly Asp Gly Leu Cys Xaa Leu Arg Xaa Arg Pro
 900 905 910

Lys Ala Xaa Gly Trp Glu Asn Thr Ser Phe Asp Leu Ala Ser Xaa Pro
 915 920 925

Ser Asn Pro Ala Phe Glu Pro Thr Asn Ile Lys Ser Arg Glu Xaa Thr
 930 935 940

Xaa Met Glu Xaa Arg His Ser Arg Ser Xaa Ser Phe Glu Phe Xaa Thr
 945 950 955 960

Leu Glu Lys Asn Arg Lys Met Asp Gly Ala Xaa Arg Asp Xaa Ser Ser
 965 970 975

Gly Asn Arg Phe Gln Trp Arg Trp His Asp Arg Ala Arg Ala Arg Ala
 980 985 990

Gln Pro Gln Ala Ala Ala His Ser Gln Ala Pro Glu Arg Thr Ser Pro
 995 1000 1005

Val Trp Trp Ser Trp Lys Gly His Phe Xaa Arg Ser Thr Ile Ser Ser
 1010 1015 1020

Cys Ala Phe Arg Trp Asn Phe Ser Ser Ser Asp Val His His Gly His
 1025 1030 1035 1040

Arg Arg Thr Pro Lys Xaa Phe Gln His Ser Gly Glu Asp Val Asp Gln
 1045 1050 1055

Gly Gly Glu Glu Ser Arg Lys Gly Glu Val Thr Ala Pro Arg Arg Gln
 1060 1065 1070

Arg Leu Leu Phe Thr Leu Leu Xaa Leu Asp Glu Thr Val Thr Leu Pro
 1075 1080 1085

Xaa Thr Gln Tyr Phe Phe Leu Thr Phe Leu Phe Val Asn Xaa Xaa Arg
 1090 1095 1100

Xaa Ser Gln Pro Pro Thr Phe Gln Ala Thr Leu Gly Thr Phe Val Gln
 1105 1110 1115 1120

Xaa Lys Leu Val Ser Met Xaa Ala Ser Gly Val His Thr Glu Thr His
 1125 1130 1135

Arg Tyr Asn Leu Leu Ser Ala Lys Ser Arg Lys Lys Gly Trp Gly Tyr
 1140 1145 1150

Leu Gly Trp Leu Gly Phe Asp Phe Leu Leu Val Cys Leu Phe Cys Thr
 1155 1160 1165

Lys Thr Val Leu Ser Phe Glu Tyr Arg Arg Asp Ile Ser Ile Tyr Met
 1170 1175 1180

Leu Ser Asn Gln Asp Gly Xaa Asn Gly Ala Phe Leu Ser Val Xaa Asn
 1185 1190 1195 1200

Leu Thr Pro Leu Val Asn Leu Ser Thr His Phe His Cys Leu Arg Asn
 1205 1210 1215

Glu Val Leu Ile His Phe Xaa Pro Leu Glu Phe Phe Asn Ala Val Ile
 1220 1225 1230

Phe Ser Xaa Met Ile Leu His Phe Glu Ile Lys Met Pro Cys Leu Phe
 1235 1240 1245

Asp Xaa Ser Tyr Phe Phe Ile Phe Thr Gly Leu Ser Val Ser Leu Leu
 1250 1255 1260

Ala Val Ile Val Thr Lys Ser Asn Lys Pro Pro Arg Thr Thr His Ser
 1265 1270 1275 1280

Met Asp His Ile Leu Phe Asp Ile Lys Leu Leu Pro Glu Asn Val Ala
 1285 1290 1295

Cys Val Leu Pro Arg Leu Ala Lys Ile Asp Xaa Gln Lys Gly Met Ala
 1300 1305 1310

Asn Asn Val Gly Gly Glu Asn Lys Xaa Ile Ser Lys Gln Asn Glu Asp
 1315 1320 1325

Cys Leu Leu Ser Leu Cys Leu Ala Ser Lys Arg Ser Ser Tyr Ile Ile
 1330 1335 1340

Pro Leu Arg Leu Leu Tyr Phe Gly Leu Phe Ser Xaa Gln Glu Lys Lys
 1345 1350 1355 1360

Ile Xaa Arg Ser Phe Ile Phe Ile Phe Phe Gly Phe Leu Gly Met Thr
 1365 1370 1375

Lys Lys Leu Lys Cys Xaa Xaa Asn Met Thr Ser Phe Glu Phe Thr Pro
 1380 1385 1390

Arg Thr Ser Gln Xaa Lys Lys Ile Met Asn Ala Pro Gln Phe Gln His
 1395 1400 1405

Thr Thr Arg Glu Val Asn Phe Leu Thr Leu Cys Ser Met Ile Ile Cys
 1410 1415 1420
 Lys Thr Phe Thr Lys Phe Xaa Tyr Leu Leu Lys Thr Xaa Phe Lys Ile
 1425 1430 1435 1440
 Ala Phe Glu Asn Leu Tyr Ser Xaa Lys Tyr Pro Cys Cys Val Leu Gly
 1445 1450 1455
 Phe Xaa Ile Pro Ala Lys Gly Leu Pro His Xaa Val Ile Ser Thr Leu
 1460 1465 1470
 Leu Phe Ser Ser Pro Arg Xaa Cys Val Phe Ala Tyr Pro Lys Arg Gly
 1475 1480 1485
 Phe Leu Leu Ile Phe Arg Xaa Phe Lys Cys Leu Asp Lys Leu Cys Phe
 1490 1495 1500
 Leu Xaa Val Phe Met Val Asn Ser Phe Lys Glu Asn Leu Ile Cys Tyr
 1505 1510 1515 1520
 Ser Xaa Ile Phe Leu Val Thr Leu Asn Leu Tyr His Arg Leu Cys Thr
 1525 1530 1535
 Tyr Val Gln Ile Ser Cys Leu Pro Asp Val Cys Ile Ile Gly Gly Met
 1540 1545 1550
 Thr Glu Gln Thr Tyr Leu Xaa Ser Xaa Ile Met Cys Phe Val Lys Arg
 1555 1560 1565
 Phe Gln Val Ile Arg Lys His Thr Leu Phe Phe Asn His Val Xaa Tyr
 1570 1575 1580
 Ser Met Ile Leu Leu Xaa Asn Asn Ser Gly Phe Arg Lys Val Xaa Lys
 1585 1590 1595 1600
 Gln Tyr Phe Phe Lys Xaa Lys Val Phe Lys Leu
 1605 1610

<210> 17

<211> 590

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (173)

<220>

<221> unsure

<222> (561)

<220>

<221> unsure

<222> (567)

<400> 17

```

cacctttctc tttattggaa tagctttggt tactgcagct acattcctca ggcttccttc 60
tcttcagatg tcctctcact tctcttaaat tcttaatttt atcttgca ga gcttcaatct 120
ctttgtcaat gtatgcctta tggtccttcc acgctctggc cgattgggtac agntctctct 180
cacaatggat agagtcattg ggaagaataa aacacttggt tgtcactcgg acagtggtag 240
gtgggcccac ggcgttgctg ctatctgcca gcacctgcc cctgttgcca ccaactggaag 300
cctggagatc tcttgcccc ttgtggcctt catcatgacg cttagcaatg tttcttggtt 360
gcaacacttg caattcttct tcttcttcca gatttatgtc atatatttca ccttcaaatt 420
cgacggacaa ggaacgtgtc tgccgagtat ggacaaatct gggcttgtag tttggagtcc 480
cctggtttct caagaattgc cgttgactct ttcttgggt tctgctggca cggtaaccag 540
actcctaca actgcactct ntgtctntgt catggaagcc gcgagcgtag 590

```

<210> 18

<211> 196

<212> PRT

<213> Homo sapiens

<400> 18

```

Tyr Ala Arg Gly Phe His Asp Xaa Asp Xaa Glu Cys Ser Cys Arg Glu
 1             5             10             15

Ser Gly Tyr Arg Ala Ser Arg Ser Gln Arg Lys Ser Gln Arg Gln Phe
      20             25             30

Leu Arg Asn Gln Gly Thr Pro Lys Tyr Lys Pro Arg Phe Val His Thr
      35             40             45

Arg Gln Thr Arg Ser Leu Ser Val Glu Phe Glu Gly Glu Ile Tyr Asp
      50             55             60

Ile Asn Leu Glu Glu Glu Glu Glu Leu Gln Val Leu Gln Pro Arg Asn
      65             70             75             80

Ile Ala Lys Arg His Asp Glu Gly His Lys Gly Pro Arg Asp Leu Gln
      85             90             95

Ala Ser Ser Gly Gly Asn Arg Gly Arg Met Leu Ala Asp Ser Ser Asn
      100             105             110

```

Ala Val Gly Pro Pro Thr Thr Val Arg Val Thr His Lys Cys Phe Ile
 115 120 125

Leu Pro Asn Asp Ser Ile His Cys Glu Arg Xaa Leu Tyr Gln Ser Ala
 130 135 140

Arg Ala Trp Lys Asp His Lys Ala Tyr Ile Asp Lys Glu Ile Glu Ala
 145 150 155 160

Leu Gln Asp Lys Ile Lys Asn Leu Arg Glu Val Arg Gly His Leu Lys
 165 170 175

Arg Arg Lys Pro Glu Glu Cys Ser Cys Ser Lys Gln Ser Tyr Ser Asn
 180 185 190

Lys Glu Lys Gly
 195

<210> 19
 <211> 288
 <212> DNA
 <213> Homo sapiens

<220>
 <221> unsure
 <222> (35)

<220>
 <221> unsure
 <222> (108)

<220>
 <221> unsure
 <222> (170)

<220>
 <221> unsure
 <222> (195)..(196)

<220>
 <221> unsure
 <222> (233)..(234)

<400> 19
 aagaaggaga ggaaggagaa gagacggcag agganggggg aagagtgcag cctgcctggc 60
 ctcacttgct tcacgcatga caacaaccac tggcagacag ccccgttntg gaacctggga 120

tctttctgtg cttgcacgag ttctaacaat aacacctact ggtggttgcn tacagttaat 180
gagacgcata atttnntttt ctgtgagttt gctactggct ttttggagta ttngatatg 240
aatacagatc cttatcagct cacaataca gtgcacacgg ttagaacg 288

<210> 20

<211> 96

<212> PRT

<213> Homo sapiens

<400> 20

Lys Lys Glu Arg Lys Glu Lys Arg Arg Gln Arg Xaa Gly Glu Glu Cys
1 5 10 15

Ser Leu Pro Gly Leu Thr Cys Phe Thr His Asp Asn Asn His Trp Gln
20 25 30

Thr Ala Pro Xaa Trp Asn Leu Gly Ser Phe Cys Ala Cys Thr Ser Ser
35 40 45

Asn Asn Asn Thr Tyr Trp Cys Leu Xaa Thr Val Asn Glu Thr His Asn
50 55 60

Xaa Xaa Phe Cys Glu Phe Ala Thr Gly Phe Leu Glu Tyr Xaa Asp Met
65 70 75 80

Asn Thr Asp Pro Tyr Gln Leu Thr Asn Thr Val His Thr Val Arg Thr
85 90 95

<210> 21

<211> 296

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (84)

<220>

<221> unsure

<222> (159)

<220>

<221> unsure

<222> (184)

WO 01/21640

<220>
 <221> unsure
 <222> (234)

<220>
 <221> unsure
 <222> (238)

<400> 21
 gtggcactgg aggccttccc gactactcag ccgccaaccc cattaaagtg acacatcggt 60
 gctacatcct agagaacgac acantccagt gtgacctgga cctgtacaag tccctgcagg 120
 cctggaaaaga ccacaagctg cacatcgacc acgagattna aaccctgcag aacaaaatta 180
 agancctgag ggaagtccga ggtcacctga agaaaaagcg gccagaagaa tgnactntc 240
 acaaaatcag ctaccacacc cagcacaaaag gccgcctcaa gcacagaggc tccagt 296

<210> 22
 <211> 98
 <212> PRT
 <213> Homo sapiens

<220>
 <221> UNSURE
 <222> (28)

<220>
 <221> UNSURE
 <222> (53)

<220>
 <221> UNSURE
 <222> (61)

<220>
 <221> UNSURE
 <222> (78) .. (79)

<400> 22
 Gly Thr Gly Gly Leu Pro Asp Tyr Ser Ala Ala Asn Pro Ile Lys Val
 1 5 10 15
 Thr His Arg Cys Tyr Ile Leu Glu Asn Asp Thr Xaa Gln Cys Asp Leu
 20 25 30
 Asp Leu Tyr Lys Ser Leu Gln Ala Trp Lys Asp His Lys Leu His Ile
 35 40 45
 Asp His Glu Ile Xaa Thr Leu Gln Asn Lys Ile Lys Xaa Leu Arg Glu

50 55 60

Val Arg Gly His Leu Lys Lys Lys Arg Pro Glu Glu Cys Xaa Xaa His
65 70 75 80

Lys Ile Ser Tyr His Thr Gln His Lys Gly Arg Leu Lys His Arg Gly
85 90 95

Ser Ser

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US00/26124

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : Please See Extra Sheet.

US CL : 536/23.5; 435/183, 320.1, 325, 455

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 536/23.5; 435/183, 320.1, 325, 455

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

WEST, MEDLINE, BIOSIS, EMBASE, SCISEARCH, CAPLUS

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	ROBERTSON et al. Human glucosamine-6-sulphatase cDNA reveals homology with steroid sulphatase. Biochem Biophys Res Commun. 1994, Vol. 157, No. 1, pages 218-224, whole document.	1-15
Y	ROBERTSON et al. A cDNA clone for human glucosamine-6-sulphatase reveals differences between arylsulphatases and non-arylsulphatases. Biochem. J. 1992, Vol. 288, pages 539-544, whole document.	1-15
Y	ROELINK et al. Floor plate and motor neuron induction by vhh-1 a vertebrate homolog of hedgehog expressed by the notochord. Cell. 1994, Vol. 76, 761-775, whole document.	1-15



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
A document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
E earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*A* document member of the same patent family
O document referring to an oral disclosure, use, exhibition or other means	
P document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

05 NOVEMBER 2000

Date of mailing of the international search report

28 NOV 2000

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

PETER PARAS JR

Telephone No. (703) 308-0196

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US00/26124

A. CLASSIFICATION OF SUBJECT MATTER:

IPC (7):

C07H 21/04; C12N 5/00, 5/02, 9/00, 15/00, 15/09, 15/63, 15/70, 15/74, 15/85, 15/87